

## Measuring Gestational Age in Vital Statistics Data: Transitioning to the Obstetric Estimate

Joyce A. Martin, M.P.H.; Michelle J.K. Osterman, M.H.S.; Sharon E. Kirmeyer, Ph.D.; and Elizabeth C.W. Gregory, M.P.H., Division of Vital Statistics




Figure 1. OE- and LMP-based measures of gestational age for selected weeks: United States, 2013

## Abstract

**Objectives**—Beginning with the 2014 data year, the National Center for Health Statistics is transitioning to a new standard for estimating the gestational age of a newborn. The new measure, the obstetric estimate of gestation at delivery (OE), replaces the measure based on the date of the last normal menses (LMP). This transition is being made because of increasing evidence of the greater validity of the OE compared with the LMP-based measure. This report describes the relationship between the two measures. Agreement between the two measures is shown for 2013. Comparisons between the two measures for single gestational weeks and selected gestational age categories for 2013, and trends in the two measures for 2007–2013 by gestational category, focusing on preterm births, are shown for the United States and by race and Hispanic origin and state.

**Methods**—Data are derived from U.S. birth certificates for 2007–2013 for 100% of reported resident births.

**Results**—Estimates of pregnancy length were the same for the OE- and LMP-based measures for 62.1% of all births, and within 1 week for 83.4% in 2013. The mean OE-based gestational age for all 2013 births was 38.5 weeks, lower than the LMP-based average of 38.7. Births were less likely to be classified as preterm using the OE (9.62%) than with the LMP (11.39%). The 2013 OE preterm rate was lower than the LMP rate for 49 states and the District of Columbia. The OE-based percentage of full-term deliveries was higher than the LMP-based percentage; levels of late-term and postterm deliveries were lower. Preterm birth rates declined for both measures from 2007 through 2013 (8% compared with 10%). The OE-based 2013 preterm infant mortality rate was 19% higher than the LMP rate.

**Keywords:** LMP-based gestational age estimate • infant mortality

## Introduction

Information on the gestational age of the newborn derived from vital statistics is used extensively for surveillance of preterm birth, to determine optimum gestational age for delivery, and to advance understanding of the etiologies of adverse perinatal outcome (1–7). The Centers for Disease Control and Prevention’s National Center for Health Statistics (NCHS) has measured vital statistics gestational age data based primarily on the difference between the date of the last normal menses (LMP) and the date of infant’s birth since national LMP data first became available in 1981. However, the quality of LMP-based data has long been of concern. Imperfect maternal recall, misinterpretation of bleeding early in pregnancy, irregular menstrual cycles, and data entry errors have been shown to result in the misclassification of gestational age, particularly at preterm (under 37 completed weeks) and postterm (42 weeks and over) (8–13).

An alternative measure of gestational age, the clinical estimate (CE), was added to the 1989 U.S. Standard Certificate of Live Birth. Detailed definitions and instructions for the new measure were not developed or released, however (14,15). Concerns with data quality and the lack of national reporting (California did not report the CE) precluded the estimate from being used as a national measure of gestational age. The CE was replaced with the similar item, the “obstetric estimate of gestation at delivery” (OE) with the 2003 birth certificate revision (16). More detailed definitions and instructions were developed and distributed for the OE, which in brief is defined as “the

best estimate of the infant’s gestation in completed weeks based on the birth attendant’s final estimate of gestation” (17). Despite differences in definitions and instructions, data for the CE and OE appear comparable and are combined in natality public-use files. National data for a combined OE-CE item did not become available until the 2007 data year, however.

Compared with LMP-based estimates, recent studies suggest higher consistency between OE-CE-based estimates and birthweight (18) and better agreement between the OE-CE-based estimates and estimates of gestational age based on an early ultrasound (considered the gold standard) (19). Agreement was also closer between the OE-CE estimates and gestational ages for births conceived using assisted reproductive technology, for which dates of conception were well documented (13). Studies also indicate high to moderate agreement between OE reporting on the birth certificate and information on best estimates of gestational age and estimated delivery dates on hospital medical records (20,21)

Increasing evidence of the greater validity of OE-based data compared with LMP-based data, and the national availability of OE data, have prompted NCHS to transition to the use of the OE as its standard, primary measure of gestational age beginning with the 2014 data year. This report presents a detailed comparison of the two gestational age measures to better understand the implications of this change. The exact agreement between the two measures by detailed gestational age for 2013 is presented. Comparisons are made between the mean OE- and LMP-based gestational ages and percent distributions, focusing on preterm births for the country overall, and by race and Hispanic origin and by state for 2007–2013. Differences in gestation-specific infant mortality rates by measure for 2013 are also described.

## Methods

Data for the obstetric estimate measure are based primarily on the 2003 U.S. Standard Certificate of Live Birth item “Obstetric estimate of gestation.” Forty-one states and the District of Columbia (DC), representing 90% of births, reported this item for 2013 (22). The obstetric estimate of gestation is defined as “the best obstetric estimate of the infant’s gestation in completed weeks based on the birth attendant’s final estimate of gestation” (17).

Data for the remaining nine states (10% of records) are based on the 1989 revision of the U.S. Standard Certificate of Live Birth item “Clinical estimate of gestation.” The instructions to hospitals for the 1989 revision simply state that the birth attendant should provide a clinical estimate of gestation not based on the date of LMP and the date of birth (14). For changes in the revised reporting area over the 2007–2013 study period, see “User Guide to the 2013 Natality Public Use File” (22). Despite differences in terminology and instructions, studies (18) and NCHS’ own internal review of CE and OE data for the study period (available upon request; e-mail [births@cdc.gov](mailto:births@cdc.gov)) suggest that estimates based on the obstetric estimate and the clinical estimate of gestation are comparable (18). Accordingly, data for these two measures are combined for this report and are subsequently referred to as the OE.

The OE is edited for an allowable range of 17 through 47 completed weeks of gestation. Less than 1% of all 2013 birth records (0.2%) were either outside of this range or were missing information

for the OE. Additional standard NCHS edits typically made to the LMP-based data [i.e., for inconsistency with birthweight and substitutions for missing data (see reference 23)] are not applied to the OE data presented in this report. These editing procedures had not been used for OE data in NCHS natality data files prior to 2014, and they were not applied for this report due to the complexity of these edits, resource constraints, and the need to ensure that findings can be replicated using NCHS natality public-use files. Another factor influencing the decision not to further edit these data is the minimal impact of such edits. A comparison of 2014 preliminary data edited for both the allowable range and birthweight-gestational age consistency checks with 2014 preliminary OE data edited only for the allowable range (as the 2007–2013 data shown in this report) indicates that the impact of the birthweight-gestational age consistency check and substitutions for missing data is negligible. For example, the 2014 preliminary OE-based preterm birth rate was 9.57% for both the minimally (range only) and fully edited (birthweight-gestational age consistency check) data. (Detailed data are available upon request.)

The LMP-based measure used in this report is the standard edited gestational age measure used by NCHS since the 1981 data year (COMBGEST field in the public-use birth data file). This measure is based primarily on the difference between the infant's date of birth and the date of the mother's last normal menses. The LMP measure is also edited for a range of 17 through 47 completed weeks. Where the date of the LMP is missing, weeks of gestation are imputed based on a previous record with the same month of LMP and birthweight within 500 grams. This imputation was performed for 2.7% of records for 2013. Where the LMP is missing or inconsistent with birthweight, the OE is used if valid and consistent with birthweight (0.4% of 2013 records) (22).

In sum, OE data in this report are edited only for range, whereas the LMP-based data are further edited for missing data and inconsistency with birthweight. The impact of this difference in editing procedures on the OE data and comparisons of the two measures appears negligible. The OE data for 2007–2013 will not be further updated to incorporate these edits and should be considered final estimates. Full editing procedures of the OE will be used beginning with the 2014 birth data files.

Race and Hispanic origin are reported independently on the birth certificate. This report shows “bridged” race categories consistent with those presented in previous NCHS vital statistics reports to facilitate consistency with LMP-based trends for these groups (1). The categories shown are non-Hispanic white, non-Hispanic black, American Indian or Alaska Native (AIAN), Asian or Pacific Islander (API), and Hispanic.

This report presents both absolute (expressed as percentage points) and relative differences in gestational age rates. Unless otherwise stated, all differences noted in the text are statistically significant. For information and discussion on random variation and significance testing see the “User Guide” (22).

The mean gestational age is the arithmetic average of the gestational age of the newborn in completed weeks. The difference between means was tested for statistical significance based on the calculated test statistic,  $z$ .

Infant mortality data are from the 2013 period linked birth/infant death file. In this file, information from the death certificate is linked with information from the birth certificate for each infant under age 1 year

who died during 2013. For 2013, 99.0% of all infant death records were successfully linked to the corresponding birth certificate (24).

Consistent with commonly used gestational age categories, “preterm” is defined as under 37 completed weeks of gestation, “late preterm” as 34–36 weeks, “early term” as 37–38 weeks, “full term” as 39–40 weeks, “late term” as 41 weeks, and “postterm” as 42 weeks and over.

## Results

### Percent agreement—the OE compared with the LMP-based measure of gestational age

- Weeks of gestation were the same for the OE- and LMP-based measures for 62.1% of all 2013 records for which gestational age was known (Table 1). The OE was within 1 week of the LMP for a total of 83.4% of records, and within 2 weeks for 91.4% of all 2013 records.
- When the imputed OE is excluded from the LMP-based measure (as noted in “Methods,” for the LMP-based measure, the OE is substituted where the LMP date is missing or inconsistent with birthweight), exact agreement between the measures was 59.9%; agreement within 1 week was 82.4%; and agreement within 2 weeks was 90.9%.
- When examined by gestational week (including imputed values for the LMP), exact agreement was lowest at the higher gestational ages—1% agreement and less at 43 weeks and over, and 8% at 42 weeks. Exact agreement between the measures was highest at 39 weeks (79%), followed by 40 weeks (67%), and 17–24 weeks (60.6%–68.7%). Patterns of agreement by single gestational week were similar where the imputed OE was excluded.

### Mean gestational age—the OE compared with the LMP-based measure of gestational age

- The mean OE-based gestational age for all births for 2013 was 38.5 weeks, slightly lower than the LMP-based average of 38.7 weeks (Table A).
- Mean OE gestational ages for all race and Hispanic origin groups ranged from 38.1 to 38.6 weeks compared with an LMP-based average range of 38.2 to 38.8 weeks. Differences in means between measures were statistically significant for all groups; however, the largest difference between measures for all groups was 0.2 weeks.

### Percent distributions—the OE compared with the LMP-based gestational age

- When the percent distributions of the OE and LMP were examined by single week of gestation for 2013, the smallest absolute differences were observed at under 39 weeks, and the largest at 39–44 weeks (Figure 1, Table 2).
- When examined by selected gestational age categories, births were somewhat less likely to be classified as preterm (under 37 completed weeks) using the OE than with the LMP (Tables B and 3).

**Table A. Mean gestational age, by race and Hispanic origin of mother: United States, 2013**

| Race and Hispanic origin of mother         | Obstetric estimate |                    | LMP  |                    |
|--|--------------------|--------------------|------|--------------------|
|  | Mean               | Standard deviation | Mean | Standard deviation |
| Total . . . . .                            | 38.5               | 2.1                | 38.7 | 2.5                |
| Non-Hispanic white . . . . .               | 38.6               | 2.0                | 38.8 | 2.4                |
| Non-Hispanic black . . . . .               | 38.1               | 2.7                | 38.2 | 3.0                |
| Hispanic . . . . .                         | 38.5               | 2.1                | 38.6 | 2.4                |
| American Indian or Alaska Native . . . . . | 38.4               | 2.1                | 38.6 | 2.6                |
| Asian or Pacific Islander . . . . .        | 38.5               | 2.0                | 38.6 | 2.3                |

NOTE: LMP refers to the date of the mother's last normal menses.

**Table B. Preterm birth rates, by race and Hispanic origin of mother: United States, 2013**

| Race and Hispanic origin of mother         | Percent preterm <sup>1</sup> |       | Absolute difference | Relative difference |
|--|------------------------------|-------|---------------------|---------------------|
|  | Obstetric estimate           | LMP   |                     |                     |
| Total . . . . .                            | 9.62                         | 11.39 | -1.8                | -16                 |
| Non-Hispanic white . . . . .               | 8.94                         | 10.17 | -1.2                | -12                 |
| Non-Hispanic black . . . . .               | 13.25                        | 16.27 | -3.0                | -19                 |
| Hispanic . . . . .                         | 9.08                         | 11.31 | -2.2                | -20                 |
| American Indian or Alaska Native . . . . . | 10.17                        | 13.07 | -2.9                | -22                 |
| Asian or Pacific Islander . . . . .        | 8.68                         | 10.16 | -1.5                | -15                 |

<sup>1</sup>Preterm is under 37 completed weeks of gestation.

NOTES: The absolute difference is calculated as a-b. The relative difference is calculated as (a-b)/(b)\*100. LMP refers to the date of the mother's last normal menses.

The 2013 OE-based national percentage of preterm birth was 9.62%, 1.8 percentage points (PP) lower than the LMP-based level of 11.39%. This difference translates to almost 70,000 fewer OE-estimated preterm births.

- Among preterm categories, differences between the OE and LMP of less than one-half PP were observed at under 28 weeks of gestation, 28–31, and 32–33 weeks, but the difference widened to 1.2 PP at 34–36 weeks or late preterm (6.83% compared with 7.99%).
- The two gestational age estimates show essentially the same percentages of births at 37–38 weeks, or early term (24.80% compared with 24.81%), for 2013.
- The OE-based percentage of full-term deliveries was higher than the LMP, especially at 39 weeks (37.46% compared with 30.23% for a more than seven PP difference), whereas levels of late-term (2.2 PP difference) and postterm deliveries were lower (0.41% compared with 5.49% for a difference of more than five PP); see [Table 2](#). The difference in the measures at 42 weeks and over results in nearly 200,000 fewer births based on the OE.
- Differences between the measures in percent distributions were largely consistent throughout the study period (e.g., lower OE-based levels of preterm and postterm births).

### Trends in births by gestational age categories—the OE compared with the LMP-based measure of gestational age

- Preterm birth rates declined from 2007 through 2013 for both the OE- and the LMP-based measures; the decline in the OE preterm

rate was slightly smaller than the LMP rate (8% compared with 10%) ([Table 3](#), [Figures 2](#) and [3](#)).

- Declines were seen for both measures in early term births (16% for the OE and 13% for the LMP); the two measures showed similar relative increases at full term (both up 11%).
- Divergent trends were observed at 41 weeks—the OE indicated a 3% decline at late term, whereas the LMP showed a 2% rise. Both showed declines in postterm births (42 weeks and over), but the decline was greater using the OE.

### Race and Hispanic origin—the OE compared with the LMP-based measure of gestational age

- Differences between the two measures observed for all births in gestational age distributions were also seen generally for each race and Hispanic origin group. That is, as with all births, the OE showed lower levels of preterm, and late- and postterm births, similar levels of early term births, and higher levels of full-term births compared with the LMP ([Table 3](#), [Figure 4](#)). As with all births, for each race and Hispanic origin group examined, the largest differences between the measures were seen at full and at post-term.
- Differences in preterm rates among groups were somewhat narrowed using the OE ([Table B](#)). The 2013 OE-based rates ranged from 8.68% (API) to 13.25% (non-Hispanic black), compared with the LMP-based range of 10.16% (API) to 16.27% (non-Hispanic black).
- The largest absolute differences among the groups in OE- and LMP-based preterm rates in 2013 were for births to non-Hispanic




Figure 2. Preterm births, by OE- and LMP-based measures of gestational age: United States, 2007–2013




Figure 3. Percent change in OE- and LMP-based estimates of gestational age, by gestational age: United States, 2007 and 2013

- black (3.02 PP), AIAN (2.90 PP), and Hispanic (2.23 PP) women. The smallest difference (1.23 PP) was for births to non-Hispanic white women (Table B).
- According to the LMP, the 2013 preterm rate for API births (10.16% in 2013) was essentially the same as for non-Hispanic white births (10.17%). However, the 2013 API preterm rate based on the OE was lower than for non-Hispanic white births (8.68% and 8.94%).
- A small but statistically significant difference of 0.1 PP was observed for 2013 between the Hispanic and non-Hispanic white OE-based preterm rate (9.08% and 8.94%, respectively), compared with a 1.1 PP difference between the groups in LMP-based rates (11.31% and 10.17%).




Figure 4. Preterm births by OE- and LMP-based gestational age, by race and Hispanic origin: United States, 2013




Figure 5. Percent change in OE- and LMP-based estimates of preterm birth rates, by race and Hispanic origin: United States, 2007 and 2013

- Both measures showed declines in preterm birth rates for all race and Hispanic origin groups from 2007 through 2013. However, as with all births, the OE-based decline was somewhat less pronounced than the LMP for all groups; see Table 3 and Figure 5.

**State preterm birth rates—the OE compared with the LMP-based measure of gestational age**

- The range in state OE-based preterm rates for 2013 was narrower (5.5 PP difference) than the LMP-based range (8.5 PP) (Table 4).

(The full OE gestational age distributions for each state are shown in [Table 5](#).)

- The 2013 OE-based preterm rate was lower than the LMP-based rate for 49 states and DC; the difference for Vermont was not statistically significant.
- Both measures show Vermont with the lowest rate of preterm deliveries among the 50 states and DC in 2013 (OE = 7.6%; LMP = 8.1%), and Mississippi with the highest level (OE = 13.1%; LMP = 16.6%).
- Trends in state preterm rates for 2007–2013 were similar for the two gestational age measures, but fewer significant declines by state were observed in OE preterm rates ([Figure 6](#)).
- OE-based preterm rates declined for 39 states and DC. Rates were lower, but not significantly so in 10 of the remaining states; the preterm rate increased in 1 state.
- Declines in LMP-based preterm rates were observed for 46 states and DC; no state reported increases in LMP-measured preterm births.

### Infant mortality rates—the OE compared with the LMP-based measure of gestational age

- The OE-based infant mortality rate (IMR) among preterm births was 19% higher than the LMP-based IMR (41.51 deaths per 1,000 births compared with 34.77). OE-based IMRs were higher for each preterm and early term category under 28 weeks, 28–31, 32–33, 34–36, and 37–38 weeks, with the greatest difference (30%) at 32–33 weeks ([Table 6](#), [Figure 7](#)).
- In contrast to differences in preterm infant mortality rates, OE-based rates at term (full and late) were lower than LMP-based IMRs—the OE rate at 40 weeks was 14% lower than the LMP, and the OE rate at 41 weeks was 16% lower.

- Similar to preterm IMRs, the OE-based IMR was higher than that of the LMP-based IMR at 42 weeks and over (3.29 and 2.39, respectively).

## Discussion

### Similarities and differences between the two gestational age measures

This report documents similarities and differences between OE- and LMP-based estimates of gestational age. For more than 6 of every 10 records, estimates of pregnancy length were exactly the same; for about 3 of every 4 records, the estimates were within 1 week. Although differences between the mean number of weeks for the two measures were statistically significant, the average gestational ages differed by only 0.1–0.2 weeks overall, and for each of the race and Hispanic origin groups studied. The two measures showed consistent trends in U.S. preterm birth rates from 2007 through 2013. Preterm trends were also generally consistent between the OE and LMP by race and Hispanic origin, and often by state, confirming that U.S. preterm deliveries generally have been on the decline over the study period.

Key differences between measures in commonly tracked and studied gestational categories were observed, however. The OE exhibits lower levels of preterm births (nearly 70,000 fewer 2013 births) and postterm births (about 200,000 fewer births) than the LMP, and higher levels of births at full term, particularly at 39 weeks. Higher preterm and postterm risk of infant mortality was also evident using the OE compared with the LMP. Differences between the two measures in preterm and postterm birth rates may be related to LMP misclassification of term births as preterm and postterm. This misclassification has





Figure 6. Percent change in OE- and LMP-based preterm births: United States, 2007–2013



**Figure 7. Infant mortality rates, by OE- and LMP-based gestational age: United States, 2013**

important public health implications, including the overestimation of LMP-based preterm birth rates and underestimation of the risk of death for newborns delivered preterm and postterm. Similar findings have been suggested elsewhere (13,25).

The larger differences between OE and LMP estimates for non-Hispanic black, AIAN, and Hispanic births may be related to the higher levels of missing and invalid LMP data and accordant gestational age misclassification for these groups (15). A recent study found that the LMP overestimated preterm births among non-Hispanic black and Hispanic women and reported less reliable LMP dates among younger, less-educated women and those who entered prenatal care after the first trimester of pregnancy (11, 12). Despite the narrowing of differences among race and Hispanic origin groups using the OE, this study shows non-Hispanic black women remained about 50% more likely than non-Hispanic white and API women to give birth before 37 completed weeks.

Among Hispanic women, the difference between the OE-based Hispanic preterm birth rate and those of other race and Hispanic origin groups may be more consistent with other birth outcome measures such as low birthweight (LBW) compared with the LMP-based rate. For example, whereas the 2013 LMP-based Hispanic preterm rate is 11% higher than for non-Hispanic white births, the Hispanic OE preterm rate is 2% higher, consistent with the difference between the Hispanic LBW rate (LBW is well reported and closely associated with preterm birth) and the non-Hispanic white LBW rate (also 2%) (1).

This report's findings of lower OE estimates of preterm birth are consistent with most recent research comparing LMP-based data with estimated date of delivery (EDD) and ultrasound estimates. Lower and similar preterm estimates have also been observed in LMP-ultrasound comparisons (11,12,26); however, these inconsistent findings may be

attributable to differences in sample characteristics and study methods (12). The finding of lower postterm estimates is consistent with other research (10–13,26).

### Assessing and improving data quality

While research demonstrates that the OE is an improved measure of gestational age compared with the LMP, the OE has limitations. The national recommended definition for this item has been publicized since 2003, but the derivation of the OE remains uncertain. Studies comparing the OE with results from early ultrasound may be less informative because the OE is not recommended to be based solely on ultrasound; it is to be "the best obstetric estimate . . . determined by all perinatal factors and assessments such as ultrasound . . ." (17). A recent unpublished study based on interviews with 25 hospital staff responsible for collecting or entering OE information for the birth certificate found incorrect rounding procedures (i.e., rounding to the nearest whole number instead of rounding down to completed weeks) (27). Another recent study comparing birth certificate OE data with information from hospital medical records (EDD or best obstetric estimates) for two states found exact agreement between the OE and hospital records to be high in one state but only moderate in another (20). Another study found that sensitivity between preterm rates based on the OE and those calculated from the EDD (considered the best obstetric estimate) was excellent in one jurisdiction but moderate in another (21).

Efforts are underway to improve OE reporting across the country. In collaboration with the National Association for Public Health Statistics and Information Systems (NAPHSIS), which represents the vital



statistics jurisdictions, and clinical experts, NCHS is refining and updating its “Guide to Completing the Facility Worksheets for the Certificate of Live Birth and Report of Fetal Death (2003 revision)” (“Facility Guidebook”). This update will ensure consistency with the American College of Obstetricians and Gynecologists Revitalize Obstetric Data Definitions for establishing estimated due date (28). NCHS and NAPHSIS are also collaborating to develop web-based training for relevant hospital staff for use in all vital statistics jurisdictions. Among other features, the training will link with the Facility Guidebook, include information on the relevance and uses of gestational age data, and offer continuing education credits for both clinicians and nonclinicians.

Despite switching to use of the OE estimate in lieu of the LMP as the primary measure of gestational age in vital statistics data, NCHS will continue to collect and publish LMP-based data as in the past to allow for the analysis of national trends prior to 2007 (LMP data are available since 1981), and as an alternative to the OE. The OE estimates presented in this report for 2007–2013 will serve as standard OE estimates. The national transition to the OE should improve monitoring of trends in gestational age, identification of disparities in preterm birth among population groups, estimation of mortality risk by gestational age, and understanding of why pregnancies end too soon.

## References

- Martin JA, Hamilton BE, Osterman MJK, et al. Births: Final data for 2013. National vital statistics reports; vol 64 no 1. Hyattsville, MD: National Center for Health Statistics. 2015. Available from: [http://www.cdc.gov/nchs/data/nvsr/nvsr64/nvsr64\\_01.pdf](http://www.cdc.gov/nchs/data/nvsr/nvsr64/nvsr64_01.pdf).
- HHS. Healthy People 2020. Topics & objectives: Maternal, infant, and child health. Available from: <http://www.healthypeople.gov/2020/topics-objectives/topic/maternal-infant-and-child-health>.
- Allen B Jr, Green NS. March of Dimes prematurity campaign: A call to action. *J Natl Med Assoc* 96(5):686–8. 2004.
- Osterman MJ, Kochanek KD, MacDorman MF, Strobino DM, Guyer B. Annual summary of vital statistics: 2012–2013. *Pediatrics* 128(4):e434–43. 2015.
- Davidoff MJ, Dias T, Damus K, Russell R, Bettegowda VR, Dolan S, et al. Changes in the gestational age distribution among U.S. singleton births: Impact on rates of late preterm birth, 1992 to 2002. *Semin Perinatol* 30(1):8–15. 2006.
- Tomashek KM, Shapiro-Mendoza CK, Davidoff MJ, Petrini JR. Differences in mortality between late-preterm and term singleton infants in the United States, 1995–2002. *J Pediatr* 151(5):450–6. 2007.
- Callaghan WM, MacDorman MF, Rasmussen SA, Qin C, Lackritz EM. The contribution of preterm birth to infant mortality rates in the United States. *Pediatrics* 118(4):1566–73. 2006.
- Hammes LM, Treloar AE. Gestational interval from vital records. *Am J Public Health Nations Health* 60(8):1496–505. 1970.
- David RJ. The quality and completeness of birthweight and gestational age data in computerized birth files. *Am J Public Health* 70(9):964–73. 1980.
- Kramer MS, McLean FH, Boyd ME, Usher RH. The validity of gestational age estimation by menstrual dating in term, preterm, and postterm gestations. *JAMA* 260(22):3306–8. 1988.
- Savitz DA, Terry JW Jr, Dole N, Thorp JM Jr, Siega-Riz AM, Herring AH. Comparison of pregnancy dating by last menstrual period, ultrasound scanning, and their combination. *Am J Obstet Gynecol* 187(6):1660–6. 2002.
- Dietz PM, England LJ, Callaghan WM, Pearl M, Wier ML, Kharrazi M. A comparison of LMP-based and ultrasound-based estimates of gestational age using linked California live birth and prenatal screening records. *Paediatr Perinat Epidemiol* 21(Suppl 2):62–71. 2007.
- Callaghan WM, Schieve LA, Dietz PM. Gestational age estimates from singleton births conceived using assisted reproductive technology. *Paediatr Perinat Epidemiol* 21(Suppl 2):79–85. 2007.
- NCHS. Hospitals’ and physicians’ handbook on birth registration and fetal death reporting. 1987.
- Martin JA. United States vital statistics and the measurement of gestational age. *Paediatr Perinat Epidemiol* 21(Suppl 2):13–21. 2007.
- NCHS. Report of the Panel to Evaluate the U.S. Standard Certificates and Reports. 2000.
- NCHS. Guide to completing the facility worksheets for the certificate of live birth and report of fetal death (2003 revision). 2012.
- Callaghan WM, Dietz PM. Differences in birth weight for gestational age distributions according to the measures used to assign gestational age. *Am J Epidemiol* 171(7):826–36. 2010.
- Barradas DT, Dietz PM, Pearl M, England LJ, Callaghan WM, Kharrazi M. Validation of obstetric estimate using early ultrasound: 2007 California birth certificates. *Paediatr Perinat Epidemiol* 28(1):3–10. 2014.
- Martin JA, Wilson EC, Osterman MJK, et al. Assessing the quality of medical and health data from the 2003 birth certificate revision: Results from two states. National vital statistics reports; vol 62 no 2. Hyattsville MD: National Center for Health Statistics. 2013.
- Dietz PM, Bombard JM, Hutchings YL, Gauthier JP, Gambatese MA, Ko JY, et al. Validation of obstetric estimate of gestational age on US birth certificates. *Am J Obstet Gynecol* 210(4):335.e1–5. 2014.
- NCHS. User guide to the 2013 natality public use file. Available from: [ftp://ftp.cdc.gov/pub/Health\\_Statistics/NCHS/Dataset\\_Documentation/DVS/nativity/UserGuide2013.pdf](ftp://ftp.cdc.gov/pub/Health_Statistics/NCHS/Dataset_Documentation/DVS/nativity/UserGuide2013.pdf).
- NCHS. National vital statistics system: Computer edits for natality data, Version 2. 2015 [Forthcoming].
- NCHS. User guide to the 2013 period linked birth-infant death data files. Available from: [http://www.cdc.gov/nchs/data\\_access/Vitalstatsonline.htm](http://www.cdc.gov/nchs/data_access/Vitalstatsonline.htm).
- Russell R, Dias T, Carrino G, Gambatese M. The impact of differences in gestational age measurement on estimates of infant mortality using birth certificate data. In: CityMatch Leadership and MCH Epidemiology Conference. Phoenix, AZ: March of Dimes. 2014.
- Yang H, Kramer MS, Platt RW, Blondel B, Bréart G, Morin I, et al. How does early ultrasound scan estimate of gestational age lead to higher rates of preterm birth? *Am J Obstet Gynecol* 186(3):433–7. 2002.
- England L, Brustrom J, Pazol K, Dohack JL. Assessing gestational age measurement in the birth certificate. [Unpublished].
- American College of Obstetricians and Gynecologists. reVITALize: Obstetric data definitions (version 1.0). 2014. Available from: <http://www.acog.org/-/media/Departments/Patient-Safety-and-Quality-Improvement/2014reVITALizeObstetricDataDefinitionsV10.pdf>.

## List of Detailed Tables

|   |    |
|---|----|
| 1. Exact agreement between the OE- and LMP-based gestational ages, by single week of gestation: United States, 2013 . . . . .   | 11 |
| 2. Percent distributions of the OE- and LMP-based estimates of gestational age: United States, 2013 . . . . .   | 12 |
| 3. Births based on the OE- and LMP-based estimates of gestational age by selected gestational age categories, by race and Hispanic origin: United States, 2007–2013 . . . . . | 13 |
| 4. OE- and LMP-based preterm birth rates, by state: United States and each state, 2007–2013 . . . . .   | 16 |
| 5. Percent and number of births based on the obstetric estimate, by selected gestational age categories: United States and each state, 2013 . . . . .                         | 18 |
| 6. Infant mortality rates based on the obstetric estimate and LMP measures of gestation: United States, 2013 linked file . . . . .  | 19 |

**Table 1. Exact agreement between the OE- and LMP-based gestational ages, by single week of gestation: United States, 2013**

| Gestational age                    | Exact agreement                       |         |                                       |         |
|------------------------------------|---------------------------------------|---------|---------------------------------------|---------|
|                                    | Including imputed values <sup>1</sup> |         | Excluding imputed values <sup>1</sup> |         |
|                                    | Number                                | Percent | Number                                | Percent |
| <b>Total</b>                       |                                       |         |                                       |         |
| Exact agreement . . . . .          | 2,435,775                             | 62.1    | 2,221,455                             | 59.9    |
| Agreement within 1 week . . . . .  | 3,272,669                             | 83.4    | 3,058,364                             | 82.4    |
| Agreement within 2 weeks . . . . . | 3,587,849                             | 91.4    | 3,373,529                             | 90.9    |
| <b>Exact agreement by week</b>     |                                       |         |                                       |         |
| 17 . . . . .                       | 208                                   | 60.6    | 135                                   | 50.0    |
| 18 . . . . .                       | 325                                   | 62.7    | 205                                   | 51.5    |
| 19 . . . . .                       | 468                                   | 64.8    | 323                                   | 56.0    |
| 20 . . . . .                       | 806                                   | 68.7    | 593                                   | 61.7    |
| 21 . . . . .                       | 1,072                                 | 63.8    | 798                                   | 56.8    |
| 22 . . . . .                       | 1,329                                 | 64.7    | 985                                   | 57.6    |
| 23 . . . . .                       | 1,722                                 | 61.7    | 1,316                                 | 55.2    |
| 24 . . . . .                       | 2,441                                 | 63.2    | 1,877                                 | 56.9    |
| 25 . . . . .                       | 2,553                                 | 58.3    | 1,955                                 | 51.7    |
| 26 . . . . .                       | 2,886                                 | 57.6    | 2,271                                 | 51.7    |
| 27 . . . . .                       | 3,336                                 | 56.6    | 2,632                                 | 50.7    |
| 28 . . . . .                       | 3,881                                 | 51.2    | 3,099                                 | 45.6    |
| 29 . . . . .                       | 4,340                                 | 45.4    | 3,556                                 | 40.5    |
| 30 . . . . .                       | 5,845                                 | 45.0    | 4,830                                 | 40.3    |
| 31 . . . . .                       | 7,446                                 | 44.4    | 6,269                                 | 40.2    |
| 32 . . . . .                       | 10,972                                | 47.1    | 9,294                                 | 43.0    |
| 33 . . . . .                       | 16,195                                | 46.7    | 13,953                                | 43.0    |
| 34 . . . . .                       | 29,011                                | 49.0    | 25,106                                | 45.4    |
| 35 . . . . .                       | 44,312                                | 48.3    | 38,853                                | 45.0    |
| 36 . . . . .                       | 86,986                                | 53.5    | 77,215                                | 50.5    |
| 37 . . . . .                       | 202,038                               | 59.9    | 182,335                               | 57.4    |
| 38 . . . . .                       | 390,992                               | 61.5    | 356,096                               | 59.2    |
| 39 . . . . .                       | 936,987                               | 79.0    | 862,669                               | 77.6    |
| 40 . . . . .                       | 515,714                               | 67.0    | 474,131                               | 65.1    |
| 41 . . . . .                       | 154,683                               | 46.4    | 142,673                               | 44.4    |
| 42 . . . . .                       | 8,389                                 | 8.0     | 7,515                                 | 7.2     |
| 43 . . . . .                       | 541                                   | 1.0     | 494                                   | 0.9     |
| 44 . . . . .                       | 184                                   | 0.6     | 172                                   | 0.6     |
| 45 . . . . .                       | 64                                    | 0.4     | 62                                    | 0.4     |
| 46 . . . . .                       | 30                                    | 0.4     | 26                                    | 0.3     |
| 47 . . . . .                       | 19                                    | 0.4     | 17                                    | 0.3     |

<sup>1</sup>Imputed values are those for which the obstetric estimate-based measure is substituted for the LMP-based measure when the LMP date is missing or inconsistent with birthweight.

NOTES: OE is the obstetric estimate of the newborn; LMP refers to the date of the mother's last normal menses.

**Table 2. Percent distributions of the OE- and LMP-based estimates of gestational age: United States, 2013**

| Weeks of gestation    | OE        |         | LMP       |         | Absolute difference | Relative difference |
|-----------------------|-----------|---------|-----------|---------|---------------------|---------------------|
|                       | Number    | Percent | Number    | Percent | Percentage points   | Percent             |
| Total . . . . .       | 3,932,181 | 100.00  | 3,932,181 | 100.00  | ...                 | ...                 |
| Under 37 . . . . .    | 377,655   | 9.62    | 447,361   | 11.39   | -1.8                | -16                 |
| Under 28 . . . . .    | 27,550    | 0.70    | 28,492    | 0.73    | 0.0                 | -4                  |
| 17 . . . . .          | 290       | 0.01    | 353       | 0.01    | 0.0                 | 0                   |
| 18 . . . . .          | 483       | 0.01    | 522       | 0.01    | 0.0                 | 0                   |
| 19 . . . . .          | 758       | 0.02    | 730       | 0.02    | 0.0                 | 0                   |
| 20 . . . . .          | 1,313     | 0.03    | 1,181     | 0.03    | 0.0                 | 0                   |
| 21 . . . . .          | 1,590     | 0.04    | 1,681     | 0.04    | 0.0                 | 0                   |
| 22 . . . . .          | 2,129     | 0.05    | 2,056     | 0.05    | 0.0                 | 0                   |
| 23 . . . . .          | 2,691     | 0.07    | 2,794     | 0.07    | 0.0                 | 0                   |
| 24 . . . . .          | 3,927     | 0.10    | 3,870     | 0.10    | 0.0                 | 0                   |
| 25 . . . . .          | 4,172     | 0.11    | 4,380     | 0.11    | 0.0                 | 0                   |
| 26 . . . . .          | 4,775     | 0.12    | 5,015     | 0.13    | 0.0                 | -8                  |
| 27 . . . . .          | 5,422     | 0.14    | 5,910     | 0.15    | 0.0                 | -7                  |
| 28-31 . . . . .       | 36,096    | 0.92    | 46,972    | 1.20    | -0.3                | -23                 |
| 28 . . . . .          | 6,399     | 0.16    | 7,595     | 0.19    | 0.0                 | -16                 |
| 29 . . . . .          | 7,234     | 0.18    | 9,573     | 0.24    | -0.1                | -25                 |
| 30 . . . . .          | 9,926     | 0.25    | 13,008    | 0.33    | -0.1                | -24                 |
| 31 . . . . .          | 12,537    | 0.32    | 16,796    | 0.43    | -0.1                | -26                 |
| 32-33 . . . . .       | 45,789    | 1.17    | 58,039    | 1.48    | -0.3                | -21                 |
| 32 . . . . .          | 18,847    | 0.48    | 23,327    | 0.59    | -0.1                | -19                 |
| 33 . . . . .          | 26,942    | 0.69    | 34,712    | 0.88    | -0.2                | -22                 |
| 34-36 . . . . .       | 268,220   | 6.83    | 313,858   | 7.99    | -1.2                | -15                 |
| 34 . . . . .          | 48,467    | 1.23    | 59,231    | 1.51    | -0.3                | -19                 |
| 35 . . . . .          | 74,112    | 1.89    | 91,919    | 2.34    | -0.5                | -19                 |
| 36 . . . . .          | 145,641   | 3.71    | 162,708   | 4.14    | -0.4                | -10                 |
| 37-38 . . . . .       | 973,569   | 24.81   | 974,162   | 24.80   | 0.0                 | 0                   |
| 37 . . . . .          | 331,667   | 8.45    | 337,498   | 8.59    | -0.1                | -2                  |
| 38 . . . . .          | 641,902   | 16.36   | 636,664   | 16.21   | 0.1                 | 1                   |
| 39-40 . . . . .       | 2,309,888 | 58.85   | 1,957,937 | 49.84   | 9.0                 | 18                  |
| 39 . . . . .          | 1,470,101 | 37.46   | 1,187,678 | 30.23   | 7.2                 | 24                  |
| 40 . . . . .          | 839,787   | 21.40   | 770,259   | 19.61   | 1.8                 | 9                   |
| 41 . . . . .          | 247,476   | 6.31    | 333,531   | 8.49    | -2.2                | -26                 |
| 42 and over . . . . . | 16,126    | 0.41    | 215,510   | 5.49    | -5.1                | -93                 |
| 42 . . . . .          | 14,844    | 0.38    | 105,082   | 2.67    | -2.3                | -86                 |
| 43 . . . . .          | 840       | 0.02    | 53,625    | 1.37    | -1.3                | -99                 |
| 44 . . . . .          | 266       | 0.01    | 28,477    | 0.72    | -0.7                | -99                 |
| 45 . . . . .          | 92        | 0.00    | 14,870    | 0.38    | -0.4                | -100                |
| 46 . . . . .          | 37        | 0.00    | 8,203     | 0.21    | -0.2                | -100                |
| 47 . . . . .          | 47        | 0.00    | 5,253     | 0.13    | -0.1                | -100                |
| Unknown . . . . .     | 7,467     | ...     | 3,680     | ...     | ...                 | ...                 |

... Category not applicable.

0.0 or 0 Quantity more than 0 but less than 0.05.

NOTES: OE is the obstetric estimate of the newborn; LMP refers to the date of the mother's last normal menses.

**Table 3. Births based on the OE- and LMP-based estimates of gestational age by selected gestational age categories, by race and Hispanic origin: United States, 2007–2013**

| Year                                  | Births    | Preterm              |                    |             |             |             | Early term  | Full term   | Late term | Postterm          | Not stated |
|---------------------------------------|-----------|----------------------|--------------------|-------------|-------------|-------------|-------------|-------------|-----------|-------------------|------------|
|                                       |           | Total under 37 weeks | 27 weeks and under | 28–31 weeks | 32–33 weeks | 34–36 weeks | 37–38 weeks | 39–40 weeks | 41 weeks  | 42 weeks and over |            |
|                                       |           | Obstetric estimate   |                    |             |             |             |             |             |           |                   | Number     |
|                                       |           | Number               | Percent            |             |             |             |             |             |           |                   |            |
| <b>All races and Hispanic origins</b> |           |                      |                    |             |             |             |             |             |           |                   |            |
| <b>Obstetric estimate</b>             |           |                      |                    |             |             |             |             |             |           |                   |            |
| 2013.                                 | 3,932,181 | 9.62                 | 0.70               | 0.92        | 1.17        | 6.83        | 24.81       | 58.85       | 6.31      | 0.41              | 7,467      |
| 2012.                                 | 3,952,841 | 9.76                 | 0.71               | 0.92        | 1.17        | 6.96        | 25.47       | 58.30       | 6.06      | 0.40              | 8,380      |
| 2011.                                 | 3,953,590 | 9.81                 | 0.70               | 0.93        | 1.18        | 6.99        | 26.09       | 57.51       | 6.16      | 0.43              | 9,290      |
| 2010.                                 | 3,999,386 | 9.98                 | 0.71               | 0.94        | 1.18        | 7.15        | 27.29       | 56.08       | 6.19      | 0.46              | 10,538     |
| 2009.                                 | 4,130,665 | 10.07                | 0.71               | 0.94        | 1.18        | 7.24        | 28.24       | 54.98       | 6.23      | 0.48              | 11,748     |
| 2008.                                 | 4,247,694 | 10.36                | 0.71               | 0.95        | 1.22        | 7.47        | 29.69       | 53.26       | 6.17      | 0.52              | 14,194     |
| 2007.                                 | 4,316,233 | 10.44                | 0.74               | 0.97        | 1.22        | 7.51        | 29.46       | 53.02       | 6.50      | 0.58              | 20,286     |
| <b>LMP-based estimate</b>             |           |                      |                    |             |             |             |             |             |           |                   |            |
| 2013.                                 | 3,932,181 | 11.39                | 0.73               | 1.20        | 1.48        | 7.99        | 24.80       | 49.84       | 8.49      | 5.49              | 3,680      |
| 2012.                                 | 3,952,841 | 11.55                | 0.73               | 1.19        | 1.49        | 8.13        | 24.96       | 49.33       | 8.55      | 5.62              | 4,080      |
| 2011.                                 | 3,953,590 | 11.73                | 0.73               | 1.20        | 1.52        | 8.28        | 25.86       | 48.48       | 8.36      | 5.57              | 4,846      |
| 2010.                                 | 3,999,386 | 11.99                | 0.74               | 1.22        | 1.53        | 8.49        | 26.88       | 47.41       | 8.24      | 5.48              | 5,279      |
| 2009.                                 | 4,130,665 | 12.18                | 0.74               | 1.23        | 1.55        | 8.66        | 27.59       | 46.51       | 8.19      | 5.54              | 5,285      |
| 2008.                                 | 4,247,694 | 12.33                | 0.74               | 1.24        | 1.57        | 8.77        | 27.85       | 45.71       | 8.44      | 5.68              | 5,809      |
| 2007.                                 | 4,316,233 | 12.68                | 0.77               | 1.27        | 1.60        | 9.04        | 28.60       | 44.79       | 8.30      | 5.62              | 6,846      |
| <b>Non-Hispanic white</b>             |           |                      |                    |             |             |             |             |             |           |                   |            |
| <b>Obstetric estimate</b>             |           |                      |                    |             |             |             |             |             |           |                   |            |
| 2013.                                 | 2,129,196 | 8.94                 | 0.51               | 0.80        | 1.10        | 6.54        | 23.10       | 60.44       | 7.04      | 0.48              | 3,892      |
| 2012.                                 | 2,134,044 | 9.13                 | 0.52               | 0.80        | 1.09        | 6.72        | 24.00       | 59.74       | 6.67      | 0.46              | 4,070      |
| 2011.                                 | 2,146,566 | 9.21                 | 0.51               | 0.82        | 1.11        | 6.77        | 24.74       | 58.90       | 6.67      | 0.47              | 4,974      |
| 2010.                                 | 2,162,406 | 9.41                 | 0.53               | 0.83        | 1.11        | 6.94        | 26.02       | 57.44       | 6.64      | 0.49              | 5,011      |
| 2009.                                 | 2,212,552 | 9.50                 | 0.52               | 0.83        | 1.09        | 7.05        | 27.14       | 56.24       | 6.62      | 0.49              | 5,911      |
| 2008.                                 | 2,267,817 | 9.81                 | 0.53               | 0.85        | 1.14        | 7.30        | 28.96       | 54.26       | 6.46      | 0.51              | 6,142      |
| 2007.                                 | 2,310,333 | 9.90                 | 0.55               | 0.84        | 1.14        | 7.37        | 29.11       | 53.69       | 6.74      | 0.56              | 7,564      |
| <b>LMP-based estimate</b>             |           |                      |                    |             |             |             |             |             |           |                   |            |
| 2013.                                 | 2,129,196 | 10.17                | 0.52               | 1.03        | 1.32        | 7.31        | 23.19       | 51.53       | 9.30      | 5.80              | 1,569      |
| 2012.                                 | 2,134,044 | 10.29                | 0.54               | 1.01        | 1.30        | 7.44        | 23.59       | 51.04       | 9.28      | 5.80              | 1,602      |
| 2011.                                 | 2,146,566 | 10.50                | 0.52               | 1.02        | 1.34        | 7.62        | 24.64       | 50.17       | 8.95      | 5.73              | 2,380      |
| 2010.                                 | 2,162,406 | 10.77                | 0.54               | 1.04        | 1.35        | 7.84        | 25.77       | 49.04       | 8.77      | 5.65              | 1,892      |
| 2009.                                 | 2,212,552 | 10.92                | 0.54               | 1.04        | 1.34        | 8.00        | 26.73       | 48.02       | 8.66      | 5.67              | 2,350      |
| 2008.                                 | 2,267,817 | 11.14                | 0.54               | 1.06        | 1.38        | 8.16        | 27.29       | 47.03       | 8.82      | 5.71              | 2,325      |
| 2007.                                 | 2,310,333 | 11.50                | 0.56               | 1.08        | 1.40        | 8.46        | 28.39       | 45.91       | 8.58      | 5.61              | 2,557      |

**Table 3. Births based on the OE- and LMP-based estimates of gestational age by selected gestational age categories, by race and Hispanic origin: United States, 2007–2013—Con.**

| Year                      | Births    | Preterm              |                    |             |             |             | Early term  | Full term   | Late term | Postterm          | Not stated |
|---------------------------|-----------|----------------------|--------------------|-------------|-------------|-------------|-------------|-------------|-----------|-------------------|------------|
|                           |           | Total under 37 weeks | 27 weeks and under | 28–31 weeks | 32–33 weeks | 34–36 weeks | 37–38 weeks | 39–40 weeks | 41 weeks  | 42 weeks and over |            |
| Number                    |           | Percent              |                    |             |             |             |             |             |           |                   | Number     |
| <b>Non-Hispanic black</b> |           |                      |                    |             |             |             |             |             |           |                   |            |
| Obstetric estimate        |           |                      |                    |             |             |             |             |             |           |                   |            |
| 2013.                     | 583,834   | 13.25                | 1.59               | 1.56        | 1.65        | 8.45        | 27.26       | 53.93       | 5.21      | 0.34              | 1,245      |
| 2012.                     | 583,489   | 13.48                | 1.61               | 1.58        | 1.69        | 8.60        | 27.68       | 53.38       | 5.13      | 0.32              | 1,685      |
| 2011.                     | 582,345   | 13.54                | 1.61               | 1.59        | 1.67        | 8.67        | 28.19       | 52.67       | 5.25      | 0.35              | 1,531      |
| 2010.                     | 589,808   | 13.81                | 1.59               | 1.61        | 1.74        | 8.86        | 29.12       | 51.32       | 5.38      | 0.37              | 1,680      |
| 2009.                     | 609,584   | 14.05                | 1.65               | 1.63        | 1.76        | 9.01        | 29.71       | 50.36       | 5.47      | 0.41              | 1,657      |
| 2008.                     | 623,029   | 14.38                | 1.63               | 1.63        | 1.84        | 9.28        | 30.78       | 48.87       | 5.49      | 0.48              | 1,929      |
| 2007.                     | 627,191   | 14.71                | 1.74               | 1.74        | 1.84        | 9.40        | 30.33       | 48.72       | 5.72      | 0.52              | 2,280      |
| LMP-based estimate        |           |                      |                    |             |             |             |             |             |           |                   |            |
| 2013.                     | 583,834   | 16.27                | 1.65               | 2.06        | 2.19        | 10.36       | 27.36       | 44.55       | 6.76      | 5.07              | 639        |
| 2012.                     | 583,489   | 16.53                | 1.68               | 2.03        | 2.23        | 10.59       | 27.29       | 44.03       | 7.00      | 5.15              | 902        |
| 2011.                     | 582,345   | 16.77                | 1.70               | 2.06        | 2.28        | 10.74       | 28.03       | 43.29       | 6.81      | 5.10              | 828        |
| 2010.                     | 589,808   | 17.12                | 1.69               | 2.10        | 2.34        | 10.99       | 28.83       | 42.30       | 6.82      | 4.94              | 961        |
| 2009.                     | 609,584   | 17.47                | 1.74               | 2.12        | 2.35        | 11.24       | 29.20       | 41.51       | 6.82      | 5.01              | 867        |
| 2008.                     | 623,029   | 17.54                | 1.72               | 2.12        | 2.43        | 11.27       | 29.15       | 40.91       | 7.11      | 5.28              | 1,000      |
| 2007.                     | 627,191   | 18.29                | 1.86               | 2.23        | 2.46        | 11.75       | 29.52       | 39.98       | 7.02      | 5.19              | 1,058      |
| <b>Hispanic</b>           |           |                      |                    |             |             |             |             |             |           |                   |            |
| Obstetric estimate        |           |                      |                    |             |             |             |             |             |           |                   |            |
| 2013.                     | 901,033   | 9.08                 | 0.62               | 0.82        | 1.07        | 6.57        | 26.43       | 58.66       | 5.51      | 0.32              | 1,200      |
| 2012.                     | 907,677   | 9.09                 | 0.63               | 0.82        | 1.06        | 6.58        | 26.71       | 58.41       | 5.45      | 0.35              | 1,474      |
| 2011.                     | 918,129   | 9.02                 | 0.61               | 0.81        | 1.06        | 6.54        | 27.34       | 57.54       | 5.71      | 0.39              | 1,603      |
| 2010.                     | 945,180   | 9.09                 | 0.61               | 0.80        | 1.04        | 6.64        | 28.65       | 55.92       | 5.86      | 0.47              | 2,639      |
| 2009.                     | 999,548   | 9.12                 | 0.60               | 0.82        | 1.06        | 6.65        | 29.41       | 54.87       | 6.06      | 0.54              | 2,757      |
| 2008.                     | 1,041,239 | 9.38                 | 0.61               | 0.82        | 1.07        | 6.88        | 30.31       | 53.55       | 6.18      | 0.59              | 4,449      |
| 2007.                     | 1,062,779 | 9.35                 | 0.62               | 0.84        | 1.06        | 6.83        | 29.44       | 53.85       | 6.65      | 0.71              | 8,312      |
| LMP-based estimate        |           |                      |                    |             |             |             |             |             |           |                   |            |
| 2013.                     | 907,033   | 11.31                | 0.64               | 1.09        | 1.45        | 8.13        | 26.34       | 49.15       | 7.88      | 5.32              | 629        |
| 2012.                     | 907,677   | 11.58                | 0.64               | 1.13        | 1.49        | 8.31        | 26.16       | 48.47       | 8.04      | 5.75              | 775        |
| 2011.                     | 918,129   | 11.65                | 0.63               | 1.13        | 1.49        | 8.40        | 26.98       | 47.58       | 8.09      | 5.69              | 780        |
| 2010.                     | 945,180   | 11.79                | 0.64               | 1.14        | 1.49        | 8.53        | 27.96       | 46.56       | 8.03      | 5.65              | 1,636      |
| 2009.                     | 999,548   | 11.97                | 0.63               | 1.14        | 1.55        | 8.64        | 28.29       | 45.81       | 8.12      | 5.80              | 1,187      |
| 2008.                     | 1,041,239 | 12.10                | 0.64               | 1.15        | 1.53        | 8.77        | 28.09       | 45.25       | 8.51      | 6.05              | 1,503      |
| 2007.                     | 1,062,779 | 12.29                | 0.65               | 1.17        | 1.58        | 8.89        | 28.36       | 44.72       | 8.57      | 6.06              | 2,167      |

**Table 3. Births based on the OE- and LMP-based estimates of gestational age by selected gestational age categories, by race and Hispanic origin: United States, 2007–2013—Con.**

| Year                                    | Births  | Preterm              |                    |             |             |             | Early term  | Full term   | Late term | Postterm          | Not stated |
|---|---------|----------------------|--------------------|-------------|-------------|-------------|-------------|-------------|-----------|-------------------|------------|
|   |         | Total under 37 weeks | 27 weeks and under | 28–31 weeks | 32–33 weeks | 34–36 weeks | 37–38 weeks | 39–40 weeks | 41 weeks  | 42 weeks and over |            |
|   |         | Obstetric estimate   |                    |             |             |             |             |             |           |                   | Number     |
|   |         | Number               | Percent            |             |             |             |             |             |           |                   | Number     |
| <b>American Indian or Alaska Native</b> |         |                      |                    |             |             |             |             |             |           |                   |            |
| 2013. . . . .                           | 45,991  | 10.17                | 0.62               | 0.94        | 1.21        | 7.41        | 27.27       | 55.81       | 6.34      | 0.41              | 122        |
| 2012. . . . .                           | 46,093  | 10.39                | 0.70               | 0.90        | 1.24        | 7.56        | 27.43       | 55.63       | 6.12      | 0.43              | 124        |
| 2011. . . . .                           | 46,419  | 10.24                | 0.64               | 0.93        | 1.17        | 7.50        | 27.27       | 55.49       | 6.52      | 0.49              | 144        |
| 2010. . . . .                           | 46,760  | 10.57                | 0.62               | 0.93        | 1.22        | 7.80        | 27.67       | 54.53       | 6.69      | 0.54              | 125        |
| 2009. . . . .                           | 48,665  | 10.04                | 0.63               | 0.88        | 1.18        | 7.34        | 28.55       | 54.07       | 6.72      | 0.62              | 145        |
| 2008. . . . .                           | 49,537  | 10.38                | 0.68               | 0.90        | 1.14        | 7.67        | 28.94       | 53.15       | 6.84      | 0.69              | 163        |
| 2007. . . . .                           | 49,443  | 10.58                | 0.65               | 0.85        | 1.33        | 7.75        | 28.39       | 52.96       | 7.27      | 0.80              | 210        |
| <b>LMP-based estimate</b>               |         |                      |                    |             |             |             |             |             |           |                   |            |
| 2013. . . . .                           | 45,991  | 13.07                | 0.66               | 1.44        | 1.73        | 9.24        | 25.88       | 45.55       | 8.58      | 6.92              | 75         |
| 2012. . . . .                           | 46,093  | 13.25                | 0.76               | 1.37        | 1.86        | 9.25        | 25.59       | 45.60       | 8.40      | 7.16              | 67         |
| 2011. . . . .                           | 46,419  | 13.50                | 0.68               | 1.43        | 1.75        | 9.64        | 25.35       | 45.42       | 8.61      | 7.11              | 79         |
| 2010. . . . .                           | 46,760  | 13.60                | 0.71               | 1.48        | 1.79        | 9.62        | 26.57       | 44.37       | 8.50      | 6.96              | 68         |
| 2009. . . . .                           | 48,665  | 13.45                | 0.72               | 1.41        | 1.88        | 9.44        | 27.04       | 44.19       | 8.52      | 6.80              | 70         |
| 2008. . . . .                           | 49,537  | 13.60                | 0.73               | 1.42        | 1.74        | 9.70        | 26.88       | 43.59       | 8.97      | 6.97              | 81         |
| 2007. . . . .                           | 49,443  | 13.92                | 0.69               | 1.44        | 1.85        | 9.94        | 27.70       | 42.71       | 8.60      | 7.06              | 87         |
| <b>Asian or Pacific Islander</b>        |         |                      |                    |             |             |             |             |             |           |                   |            |
| 2013. . . . .                           | 265,673 | 8.68                 | 0.52               | 0.79        | 0.98        | 6.38        | 27.33       | 58.29       | 5.44      | 0.26              | 360        |
| 2012. . . . .                           | 272,802 | 8.75                 | 0.51               | 0.76        | 1.01        | 6.46        | 27.93       | 57.85       | 5.22      | 0.26              | 367        |
| 2011. . . . .                           | 253,915 | 8.84                 | 0.51               | 0.79        | 1.02        | 6.51        | 28.20       | 57.32       | 5.34      | 0.30              | 426        |
| 2010. . . . .                           | 246,886 | 9.01                 | 0.51               | 0.78        | 1.04        | 6.67        | 28.89       | 56.56       | 5.22      | 0.31              | 554        |
| 2009. . . . .                           | 251,089 | 9.02                 | 0.51               | 0.75        | 1.00        | 6.76        | 29.63       | 55.92       | 5.10      | 0.33              | 681        |
| 2008. . . . .                           | 253,185 | 9.15                 | 0.51               | 0.77        | 1.01        | 6.86        | 31.36       | 54.11       | 5.05      | 0.34              | 869        |
| 2007. . . . .                           | 254,488 | 9.13                 | 0.49               | 0.81        | 1.02        | 6.82        | 30.87       | 54.19       | 5.39      | 0.43              | 1,331      |
| <b>LMP-based estimate</b>               |         |                      |                    |             |             |             |             |             |           |                   |            |
| 2013. . . . .                           | 265,673 | 10.16                | 0.54               | 0.98        | 1.22        | 7.42        | 26.75       | 51.01       | 7.76      | 4.32              | 177        |
| 2012. . . . .                           | 272,802 | 10.15                | 0.52               | 0.93        | 1.24        | 7.46        | 26.72       | 50.72       | 7.85      | 4.56              | 166        |
| 2011. . . . .                           | 253,915 | 10.40                | 0.52               | 0.98        | 1.29        | 7.62        | 27.34       | 49.84       | 7.82      | 4.60              | 231        |
| 2010. . . . .                           | 246,886 | 10.69                | 0.53               | 1.01        | 1.31        | 7.84        | 28.07       | 49.16       | 7.65      | 4.43              | 277        |
| 2009. . . . .                           | 251,089 | 10.85                | 0.53               | 0.95        | 1.32        | 8.06        | 28.54       | 48.57       | 7.57      | 4.47              | 297        |
| 2008. . . . .                           | 253,185 | 10.71                | 0.52               | 0.99        | 1.28        | 7.92        | 28.91       | 47.91       | 7.82      | 4.64              | 367        |
| 2007. . . . .                           | 254,488 | 10.93                | 0.50               | 1.00        | 1.33        | 8.09        | 29.50       | 47.22       | 7.68      | 4.67              | 486        |

NOTES: OE is the obstetric estimate of the newborn; LMP refers to the date of the mother's last normal menses.

**Table 4. OE- and LMP-based preterm birth rates, by state: United States and each state, 2007–2013**

| Area                           | Measure | 2013 | 2012 | 2011 | 2010 | 2009 | 2008 | 2007 | Percent change<br>2007–2013 |
|--------------------------------|---------|------|------|------|------|------|------|------|-----------------------------|
| United States . . . . .        | OE      | 9.6  | 9.8  | 9.8  | 10.0 | 10.1 | 10.4 | 10.4 | -8                          |
|                                | LMP     | 11.4 | 11.5 | 11.7 | 12.0 | 12.2 | 12.3 | 12.7 | -10                         |
| Alabama . . . . .              | OE      | 11.8 | 11.9 | 11.9 | 12.5 | 12.5 | 12.9 | 13.0 | -9                          |
|                                | LMP     | 15.1 | 14.6 | 14.9 | 15.6 | 15.6 | 15.7 | 16.6 | -9                          |
| Alaska . . . . .               | OE      | 8.5  | 7.6  | 8.9  | 8.3  | 9.0  | 8.7  | 8.8  | -3                          |
|                                | LMP     | 10.0 | 9.2  | 10.4 | 9.7  | 11.0 | 10.3 | 10.4 | -4                          |
| Arizona . . . . .              | OE      | 9.1  | 9.2  | 9.3  | 9.7  | 10.1 | 10.2 | 10.3 | -12                         |
|                                | LMP     | 11.6 | 11.6 | 12.1 | 12.2 | 12.7 | 12.9 | 12.7 | -9                          |
| Arkansas . . . . .             | OE      | 10.2 | 10.4 | 10.8 | 10.8 | 11.1 | 11.7 | 11.7 | -13                         |
|                                | LMP     | 12.7 | 13.3 | 13.2 | 12.7 | 13.1 | 13.5 | 13.9 | -9                          |
| California . . . . .           | OE      | 8.4  | 8.4  | 8.5  | 8.6  | 8.8  | 9.1  | 9.1  | -8                          |
|                                | LMP     | 8.8  | 9.6  | 9.8  | 9.9  | 10.3 | 10.5 | 10.9 | -19                         |
| Colorado . . . . .             | OE      | 8.6  | 8.9  | 8.8  | 9.1  | 9.3  | 9.6  | 9.8  | -12                         |
|                                | LMP     | 10.3 | 10.4 | 10.3 | 10.8 | 11.3 | 11.4 | 12.2 | -16                         |
| Connecticut . . . . .          | OE      | 9.3  | 9.7  | 9.8  | 9.9  | 10.0 | 10.1 | 10.1 | -8                          |
|                                | LMP     | 9.8  | 9.7  | 10.1 | 10.3 | 10.2 | 10.4 | 10.5 | -7                          |
| Delaware . . . . .             | OE      | 9.4  | 9.5  | 9.3  | 10.1 | 10.0 | 10.1 | 11.2 | -16                         |
|                                | LMP     | 12.4 | 12.3 | 11.2 | 12.8 | 12.5 | 12.9 | 14.3 | -13                         |
| District of Columbia . . . . . | OE      | 10.4 | 9.9  | 11.0 | 10.4 | 11.0 | 12.2 | 12.1 | -14                         |
|                                | LMP     | 13.3 | 12.8 | 13.7 | 13.6 | 14.2 | 15.5 | 15.6 | -15                         |
| Florida . . . . .              | OE      | 10.0 | 10.2 | 10.3 | 10.5 | 10.6 | 11.2 | 10.9 | -8                          |
|                                | LMP     | 13.6 | 13.7 | 13.0 | 13.3 | 13.5 | 13.8 | 13.8 | -1                          |
| Georgia . . . . .              | OE      | 10.7 | 10.9 | 11.0 | 11.3 | 11.3 | 11.7 | 11.6 | -8                          |
|                                | LMP     | 12.7 | 12.7 | 13.2 | 13.8 | 13.8 | 13.4 | 13.9 | -9                          |
| Hawaii . . . . .               | OE      | 10.2 | 9.9  | 9.9  | 10.5 | 11.1 | 10.6 | 10.6 | -4                          |
|                                | LMP     | 12.6 | 12.2 | 12.3 | 12.2 | 12.6 | 12.8 | 12.4 | 2                           |
| Idaho . . . . .                | OE      | 9.0  | 8.5  | 8.1  | 8.9  | 9.0  | 9.4  | 9.3  | -3                          |
|                                | LMP     | 10.5 | 10.3 | 10.2 | 10.3 | 10.1 | 9.8  | 10.5 | 0                           |
| Illinois . . . . .             | OE      | 10.0 | 10.0 | 10.1 | 10.3 | 10.0 | 10.4 | 10.6 | -6                          |
|                                | LMP     | 11.7 | 12.0 | 12.1 | 12.2 | 12.4 | 12.7 | 13.0 | -10                         |
| Indiana . . . . .              | OE      | 9.6  | 9.6  | 10.0 | 10.1 | 10.2 | 10.6 | 10.9 | -12                         |
|                                | LMP     | 11.0 | 10.9 | 11.6 | 11.7 | 11.9 | 12.4 | 12.9 | -15                         |
| Iowa . . . . .                 | OE      | 9.0  | 9.5  | 9.2  | 9.6  | 9.4  | 9.8  | 9.7  | -7                          |
|                                | LMP     | 11.1 | 11.5 | 11.1 | 11.6 | 11.3 | 11.5 | 11.6 | -4                          |
| Kansas . . . . .               | OE      | 8.9  | 9.0  | 9.1  | 8.8  | 9.2  | 9.3  | 9.2  | -3                          |
|                                | LMP     | 10.8 | 11.0 | 11.2 | 10.6 | 11.2 | 11.2 | 11.6 | -7                          |
| Kentucky . . . . .             | OE      | 11.0 | 11.0 | 11.3 | 11.7 | 11.6 | 11.8 | 12.7 | -13                         |
|                                | LMP     | 12.6 | 12.7 | 13.4 | 13.7 | 13.6 | 14.0 | 15.2 | -17                         |
| Louisiana . . . . .            | OE      | 12.5 | 12.5 | 12.4 | 12.3 | 12.4 | 12.6 | 13.0 | -4                          |
|                                | LMP     | 15.1 | 15.3 | 15.6 | 15.1 | 14.7 | 15.4 | 16.6 | -9                          |
| Maine . . . . .                | OE      | 8.1  | 7.8  | 8.3  | 8.2  | 8.3  | 8.7  | 9.2  | -12                         |
|                                | LMP     | 9.3  | 9.3  | 9.6  | 9.7  | 9.9  | 10.3 | 10.6 | -12                         |
| Maryland . . . . .             | OE      | 9.8  | 10.3 | 10.2 | 10.4 | 10.4 | 11.0 | 11.0 | -11                         |
|                                | LMP     | 11.9 | 12.2 | 12.5 | 12.7 | 12.7 | 13.0 | 13.4 | -11                         |
| Massachusetts . . . . .        | OE      | 8.8  | 8.7  | 8.6  | 8.6  | 8.8  | 8.8  | 9.0  | -2                          |
|                                | LMP     | 10.0 | 10.1 | 10.5 | 10.7 | 10.9 | 10.8 | 11.2 | -11                         |
| Michigan . . . . .             | OE      | 9.7  | 10.1 | 10.0 | 10.2 | 10.1 | 10.5 | 10.4 | -7                          |
|                                | LMP     | 11.6 | 11.8 | 12.0 | 12.2 | 12.4 | 12.7 | 12.5 | -7                          |
| Minnesota . . . . .            | OE      | 8.3  | 8.6  | 8.5  | 8.8  | 8.7  | 8.8  | 9.0  | -8                          |
|                                | LMP     | 9.8  | 10.2 | 9.9  | 10.2 | 10.1 | 10.0 | 10.4 | -6                          |
| Mississippi . . . . .          | OE      | 13.1 | 13.8 | 13.5 | 13.8 | 13.9 | 13.7 | 14.2 | -8                          |
|                                | LMP     | 16.6 | 17.1 | 16.9 | 17.6 | 18.0 | 18.0 | 18.3 | -9                          |



Table 4. OE- and LMP-based preterm birth rates, by state: United States and each state, 2007–2013—Con.

| Area                     | Measure | 2013 | 2012 | 2011 | 2010 | 2009 | 2008 | 2007 | Percent change<br>2007–2013 |
|--------------------------|---------|------|------|------|------|------|------|------|-----------------------------|
| Missouri . . . . .       | OE      | 9.6  | 9.9  | 9.6  | 10.0 | 9.9  | 10.3 | 10.0 | -4                          |
|                          | LMP     | 11.3 | 11.7 | 11.6 | 12.1 | 12.2 | 12.3 | 12.5 | -10                         |
| Montana . . . . .        | OE      | 9.0  | 9.4  | 8.8  | 10.1 | 9.0  | 9.9  | 9.9  | -9                          |
|                          | LMP     | 10.5 | 11.2 | 10.8 | 12.0 | 10.9 | 11.5 | 11.9 | -12                         |
| Nebraska. . . . .        | OE      | 8.7  | 9.3  | 9.1  | 9.8  | 9.7  | 9.6  | 9.5  | -8                          |
|                          | LMP     | 10.6 | 11.1 | 10.6 | 11.4 | 11.5 | 11.8 | 11.9 | -11                         |
| Nevada. . . . .          | OE      | 9.8  | 10.4 | 10.5 | 10.9 | 10.8 | 11.2 | 11.5 | -15                         |
|                          | LMP     | 12.6 | 13.0 | 13.2 | 13.9 | 13.8 | 13.5 | 14.3 | -12                         |
| New Hampshire. . . . .   | OE      | 8.2  | 8.6  | 8.5  | 8.4  | 8.7  | 8.5  | 8.1  | 1                           |
|                          | LMP     | 9.0  | 9.4  | 9.5  | 9.4  | 9.9  | 9.6  | 9.4  | -4                          |
| New Jersey . . . . .     | OE      | 9.7  | 9.7  | 9.9  | 9.7  | 10.0 | 10.5 | 10.6 | -8                          |
|                          | LMP     | 11.5 | 11.2 | 11.7 | 11.6 | 12.0 | 12.5 | 12.7 | -9                          |
| New Mexico. . . . .      | OE      | 9.3  | 9.5  | 9.7  | 9.1  | 9.3  | 9.8  | 10.3 | -10                         |
|                          | LMP     | 11.6 | 11.5 | 11.8 | 11.9 | 12.3 | 12.3 | 12.8 | -9                          |
| New York . . . . .       | OE      | 8.9  | 9.1  | 9.2  | 9.4  | 9.5  | 9.6  | 9.7  | -8                          |
|                          | LMP     | 10.7 | 10.7 | 10.9 | 11.5 | 12.2 | 12.0 | 12.3 | -13                         |
| North Carolina. . . . .  | OE      | 9.9  | 10.1 | 10.2 | 10.4 | 10.6 | 10.7 | 11.1 | -11                         |
|                          | LMP     | 12.0 | 12.0 | 12.6 | 12.7 | 13.0 | 12.9 | 13.3 | -10                         |
| North Dakota . . . . .   | OE      | 8.5  | 9.1  | 8.5  | 9.7  | 9.2  | 9.8  | 9.6  | -11                         |
|                          | LMP     | 9.9  | 9.9  | 9.9  | 10.9 | 10.6 | 11.1 | 11.6 | -15                         |
| Ohio . . . . .           | OE      | 10.3 | 10.5 | 10.2 | 10.3 | 10.4 | 10.7 | 11.0 | -6                          |
|                          | LMP     | 12.1 | 12.1 | 12.1 | 12.2 | 12.3 | 12.6 | 13.2 | -8                          |
| Oklahoma . . . . .       | OE      | 10.6 | 10.9 | 10.8 | 11.2 | 10.9 | 11.0 | 10.6 | 0                           |
|                          | LMP     | 12.8 | 13.0 | 13.2 | 13.9 | 13.8 | 13.4 | 13.5 | -5                          |
| Oregon . . . . .         | OE      | 7.6  | 7.5  | 7.4  | 7.9  | 7.8  | 7.9  | 8.0  | -5                          |
|                          | LMP     | 9.3  | 9.1  | 9.1  | 9.9  | 9.8  | 10.1 | 10.3 | -10                         |
| Pennsylvania . . . . .   | OE      | 9.3  | 9.5  | 9.6  | 9.9  | 10.1 | 10.3 | 10.3 | -10                         |
|                          | LMP     | 10.7 | 10.8 | 11.1 | 11.4 | 11.5 | 11.6 | 11.8 | -9                          |
| Rhode Island . . . . .   | OE      | 8.7  | 9.7  | 9.0  | 9.6  | 10.0 | 10.0 | 10.8 | -19                         |
|                          | LMP     | 10.2 | 11.0 | 10.4 | 10.8 | 11.4 | 11.2 | 12.0 | -15                         |
| South Carolina . . . . . | OE      | 11.1 | 11.3 | 11.5 | 11.5 | 11.7 | 11.8 | 12.2 | -9                          |
|                          | LMP     | 13.7 | 13.7 | 14.1 | 14.2 | 14.5 | 14.3 | 15.5 | -12                         |
| South Dakota . . . . .   | OE      | 8.1  | 7.8  | 7.9  | 8.6  | 7.9  | 8.6  | 9.5  | -15                         |
|                          | LMP     | 10.8 | 10.7 | 11.2 | 11.4 | 10.9 | 11.9 | 12.6 | -14                         |
| Tennessee. . . . .       | OE      | 11.1 | 11.2 | 11.1 | 11.4 | 11.3 | 11.5 | 11.8 | -6                          |
|                          | LMP     | 12.6 | 12.5 | 12.8 | 12.9 | 13.0 | 13.5 | 14.2 | -11                         |
| Texas. . . . .           | OE      | 10.4 | 10.5 | 10.7 | 10.9 | 11.1 | 11.2 | 11.3 | -8                          |
|                          | LMP     | 12.3 | 12.4 | 12.8 | 13.1 | 13.1 | 13.3 | 13.6 | -10                         |
| Utah . . . . .           | OE      | 9.2  | 9.1  | 9.4  | 9.5  | 9.8  | 9.7  | 9.5  | -3                          |
|                          | LMP     | 10.2 | 10.2 | 10.9 | 10.9 | 11.3 | 11.0 | 10.9 | -6                          |
| Vermont . . . . .        | OE      | 7.6  | 7.6  | 7.6  | 7.2  | 8.2  | 8.4  | 8.2  | -7                          |
|                          | LMP     | 8.1  | 8.7  | 8.8  | 8.4  | 9.3  | 9.5  | 9.1  | -11                         |
| Virginia . . . . .       | OE      | 9.4  | 9.5  | 9.5  | 10.1 | 10.2 | 10.5 | 10.7 | -12                         |
|                          | LMP     | 11.0 | 11.3 | 11.2 | 11.6 | 11.4 | 11.3 | 12.1 | -9                          |
| Washington . . . . .     | OE      | 8.1  | 8.3  | 8.2  | 8.5  | 8.5  | 8.9  | 8.9  | -9                          |
|                          | LMP     | 9.7  | 9.9  | 9.8  | 10.2 | 10.3 | 10.7 | 10.6 | -8                          |
| West Virginia . . . . .  | OE      | 10.5 | 10.7 | 11.2 | 10.6 | 10.8 | 11.9 | 11.9 | -12                         |
|                          | LMP     | 12.5 | 12.4 | 12.8 | 12.1 | 12.9 | 13.7 | 13.9 | -10                         |
| Wisconsin . . . . .      | OE      | 9.0  | 9.4  | 9.3  | 8.2  | 8.2  | 8.5  | 8.3  | 8                           |
|                          | LMP     | 10.4 | 10.5 | 10.4 | 10.8 | 10.9 | 11.1 | 11.1 | -6                          |
| Wyoming. . . . .         | OE      | 10.4 | 9.0  | 9.9  | 10.5 | 9.9  | 10.2 | 11.1 | -6                          |
|                          | LMP     | 11.6 | 10.8 | 10.2 | 11.0 | 11.2 | 11.2 | 12.7 | -9                          |

NOTES: OE is the obstetric estimate of the newborn; LMP refers to the date of the mother's last normal menses.

**Table 5. Percent and number of births based on the obstetric estimate, by selected gestational age categories: United States and each state, 2013**

| Area                           | Births    | Obstetric estimate   |                |             |             |             |             |             |           |                   | Not stated |
|--------------------------------|-----------|----------------------|----------------|-------------|-------------|-------------|-------------|-------------|-----------|-------------------|------------|
|                                |           | Preterm              |                |             |             |             | Early term  | Full term   | Late term | Postterm          |            |
|                                |           | Total under 37 weeks | Under 28 weeks | 28–31 weeks | 32–33 weeks | 34–36 weeks | 37–38 weeks | 39–40 weeks | 41 weeks  | 42 weeks and over |            |
| Number                         | Percent   |                      |                |             |             |             |             |             |           | Number            |            |
| United States . . . . .        | 3,932,181 | 9.62                 | 0.70           | 0.92        | 1.17        | 6.83        | 24.81       | 58.85       | 6.31      | 0.41              | 7,467      |
| Alabama . . . . .              | 58,167    | 11.77                | 1.04           | 1.20        | 1.40        | 8.13        | 25.65       | 59.32       | 3.13      | 0.14              | 27         |
| Alaska . . . . .               | 11,446    | 8.54                 | 0.48           | 0.78        | 0.97        | 6.32        | 25.17       | 55.99       | 9.49      | 0.81              | 113        |
| Arizona . . . . .              | 85,600    | 9.09                 | 0.57           | 0.75        | 1.10        | 6.67        | 25.36       | 59.65       | 5.60      | 0.31              | 43         |
| Arkansas . . . . .             | 37,832    | 10.16                | 0.79           | 1.00        | 1.22        | 7.15        | 25.01       | 59.87       | 4.62      | 0.35              | 179        |
| California . . . . .           | 494,705   | 8.42                 | 0.57           | 0.74        | 1.02        | 6.08        | 24.43       | 59.38       | 7.25      | 0.52              | 805        |
| Colorado . . . . .             | 65,007    | 8.57                 | 0.53           | 0.89        | 1.01        | 6.15        | 22.95       | 59.03       | 8.76      | 0.69              | 36         |
| Connecticut . . . . .          | 36,085    | 9.31                 | 0.69           | 0.91        | 1.16        | 6.54        | 22.29       | 59.96       | 8.13      | 0.31              | 16         |
| Delaware . . . . .             | 10,831    | 9.45                 | 0.80           | 0.97        | 1.09        | 6.58        | 22.68       | 59.06       | 8.51      | 0.30              | 13         |
| District of Columbia . . . . . | 9,288     | 10.39                | 1.23           | 1.29        | 1.42        | 6.45        | 22.06       | 57.00       | 10.00     | 0.55              | 68         |
| Florida . . . . .              | 215,407   | 10.04                | 0.77           | 0.97        | 1.23        | 7.06        | 26.35       | 59.02       | 4.39      | 0.20              | 239        |
| Georgia . . . . .              | 128,748   | 10.66                | 0.92           | 1.13        | 1.22        | 7.39        | 26.09       | 58.42       | 4.57      | 0.25              | 584        |
| Hawaii . . . . .               | 18,987    | 10.17                | 0.70           | 0.87        | 1.07        | 7.54        | 26.50       | 55.50       | 7.33      | 0.51              | 28         |
| Idaho . . . . .                | 22,383    | 9.04                 | 0.60           | 0.75        | 1.20        | 6.49        | 23.22       | 60.26       | 7.02      | 0.46              | 54         |
| Illinois . . . . .             | 156,931   | 9.96                 | 0.75           | 0.96        | 1.22        | 7.03        | 24.73       | 59.78       | 5.32      | 0.21              | 181        |
| Indiana . . . . .              | 83,102    | 9.62                 | 0.72           | 0.90        | 1.12        | 6.88        | 24.76       | 58.96       | 5.88      | 0.79              | 52         |
| Iowa . . . . .                 | 39,094    | 8.99                 | 0.55           | 0.88        | 1.04        | 6.51        | 22.29       | 61.80       | 6.59      | 0.33              | 24         |
| Kansas . . . . .               | 38,839    | 8.88                 | 0.66           | 0.86        | 1.14        | 6.21        | 23.02       | 62.43       | 5.33      | 0.34              | 15         |
| Kentucky . . . . .             | 55,686    | 11.05                | 0.70           | 1.06        | 1.21        | 8.07        | 28.20       | 56.47       | 4.03      | 0.25              | 33         |
| Louisiana . . . . .            | 63,201    | 12.54                | 0.98           | 1.31        | 1.45        | 8.79        | 28.91       | 55.66       | 2.73      | 0.16              | 40         |
| Maine . . . . .                | 12,776    | 8.10                 | 0.56           | 0.75        | 0.93        | 5.85        | 20.73       | 57.61       | 12.28     | 1.29              | 17         |
| Maryland . . . . .             | 71,953    | 9.83                 | 0.88           | 0.97        | 1.24        | 6.74        | 24.65       | 58.25       | 6.96      | 0.31              | 195        |
| Massachusetts . . . . .        | 71,788    | 8.84                 | 0.60           | 0.86        | 1.04        | 6.33        | 21.04       | 58.93       | 10.63     | 0.57              | 333        |
| Michigan . . . . .             | 113,489   | 9.75                 | 0.83           | 1.03        | 1.17        | 6.72        | 22.94       | 59.11       | 7.80      | 0.41              | 99         |
| Minnesota . . . . .            | 69,159    | 8.30                 | 0.59           | 0.76        | 1.03        | 5.91        | 21.47       | 59.73       | 9.75      | 0.75              | 101        |
| Mississippi . . . . .          | 38,634    | 13.14                | 1.01           | 1.34        | 1.49        | 9.30        | 32.87       | 51.94       | 1.89      | 0.16              | 44         |
| Missouri . . . . .             | 75,296    | 9.61                 | 0.67           | 0.88        | 1.18        | 6.88        | 24.20       | 60.70       | 5.09      | 0.40              | 394        |
| Montana . . . . .              | 12,377    | 8.99                 | 0.45           | 0.74        | 1.00        | 6.81        | 22.96       | 60.18       | 7.25      | 0.62              | 21         |
| Nebraska . . . . .             | 26,095    | 8.73                 | 0.51           | 0.96        | 1.02        | 6.23        | 23.22       | 62.41       | 5.22      | 0.41              | 32         |
| Nevada . . . . .               | 35,030    | 9.84                 | 0.62           | 0.85        | 1.21        | 7.16        | 25.70       | 59.82       | 4.29      | 0.34              | 93         |
| New Hampshire . . . . .        | 12,396    | 8.25                 | 0.53           | 0.70        | 1.16        | 5.85        | 19.08       | 59.13       | 12.76     | 0.78              | 27         |
| New Jersey . . . . .           | 102,575   | 9.70                 | 0.70           | 0.95        | 1.29        | 6.75        | 23.85       | 59.49       | 6.66      | 0.31              | 48         |
| New Mexico . . . . .           | 26,354    | 9.29                 | 0.56           | 0.88        | 1.25        | 6.60        | 27.28       | 56.91       | 6.16      | 0.36              | 99         |
| New York . . . . .             | 236,980   | 8.90                 | 0.65           | 0.85        | 1.12        | 6.27        | 22.91       | 59.22       | 8.50      | 0.48              | 422        |
| North Carolina . . . . .       | 119,002   | 9.92                 | 0.94           | 1.05        | 1.24        | 6.70        | 23.67       | 57.79       | 8.28      | 0.34              | 106        |
| North Dakota . . . . .         | 10,599    | 8.52                 | 0.58           | 0.87        | 0.91        | 6.16        | 22.25       | 62.19       | 6.66      | 0.38              | 6          |
| Ohio . . . . .                 | 138,936   | 10.31                | 0.86           | 0.97        | 1.29        | 7.19        | 24.47       | 59.56       | 5.31      | 0.36              | 581        |
| Oklahoma . . . . .             | 53,369    | 10.56                | 0.65           | 0.92        | 1.32        | 7.66        | 27.84       | 58.09       | 3.27      | 0.24              | 85         |
| Oregon . . . . .               | 45,155    | 7.60                 | 0.49           | 0.66        | 0.91        | 5.54        | 20.63       | 60.01       | 10.63     | 1.12              | 44         |
| Pennsylvania . . . . .         | 140,921   | 9.35                 | 0.73           | 0.98        | 1.22        | 6.42        | 21.77       | 60.14       | 8.32      | 0.42              | 1,146      |
| Rhode Island . . . . .         | 10,809    | 8.70                 | 0.70           | 0.77        | 0.93        | 6.30        | 22.75       | 59.29       | 9.05      | 0.21              | 39         |
| South Carolina . . . . .       | 56,795    | 11.14                | 0.83           | 1.26        | 1.40        | 7.66        | 25.39       | 59.27       | 4.02      | 0.18              | 28         |
| South Dakota . . . . .         | 12,248    | 8.13                 | 0.43           | 0.76        | 0.78        | 6.15        | 22.87       | 59.67       | 8.24      | 1.10              | 27         |
| Tennessee . . . . .            | 79,992    | 11.08                | 0.75           | 1.09        | 1.30        | 7.94        | 26.17       | 58.59       | 3.93      | 0.23              | 301        |
| Texas . . . . .                | 387,340   | 10.42                | 0.70           | 0.93        | 1.22        | 7.57        | 28.39       | 56.92       | 3.89      | 0.39              | 148        |
| Utah . . . . .                 | 50,957    | 9.16                 | 0.46           | 0.76        | 0.94        | 7.00        | 27.48       | 58.05       | 5.05      | 0.26              | 4          |
| Vermont . . . . .              | 5,975     | 7.64                 | 0.32           | 0.60        | 1.00        | 5.71        | 19.31       | 58.03       | 13.92     | 1.11              | 4          |
| Virginia . . . . .             | 102,147   | 9.40                 | 0.76           | 0.93        | 1.18        | 6.53        | 24.30       | 59.08       | 6.77      | 0.45              | 64         |
| Washington . . . . .           | 86,577    | 8.14                 | 0.49           | 0.76        | 1.02        | 5.86        | 22.24       | 58.93       | 9.93      | 0.76              | 256        |
| West Virginia . . . . .        | 20,825    | 10.53                | 0.63           | 0.85        | 1.27        | 7.78        | 26.77       | 57.47       | 4.98      | 0.26              | 22         |
| Wisconsin . . . . .            | 66,649    | 8.97                 | 0.61           | 0.83        | 1.11        | 6.42        | 24.46       | 59.11       | 7.02      | 0.44              | 130        |
| Wyoming . . . . .              | 7,644     | 10.36                | 0.48           | 1.05        | 1.19        | 7.64        | 25.45       | 57.82       | 5.69      | 0.68              | 1          |

**Table 6. Infant mortality rates based on the OE and LMP measures of gestation: United States, 2013 linked file**

| Weeks of gestation    | OE     |                                | LMP    |                                | Absolute difference | Relative difference |
|-----------------------|--------|--------------------------------|--------|--------------------------------|---------------------|---------------------|
|                       | Number | Infant deaths per 1,000 births | Number | Infant deaths per 1,000 births | Percentage points   | Percent             |
| Total . . . . .       | 23,447 | 5.90                           | 23,446 | 5.91                           | 0.0                 | 0                   |
| Under 37 . . . . .    | 15,675 | 41.51                          | 15,553 | 34.77                          | 6.7                 | 19                  |
| Under 28 . . . . .    | 10,908 | 395.93                         | 10,676 | 374.70                         | 21.2                | 6                   |
| 17 . . . . .          | 256    | 882.76                         | 293    | 830.03                         | 52.7                | 6                   |
| 18 . . . . .          | 423    | 875.78                         | 438    | 839.08                         | 36.7                | 4                   |
| 19 . . . . .          | 667    | 879.95                         | 645    | 883.56                         | -3.6                | 0                   |
| 20 . . . . .          | 1,129  | 859.86                         | 1,010  | 855.21                         | 4.7                 | 1                   |
| 21 . . . . .          | 1,427  | 897.48                         | 1,431  | 851.28                         | 46.2                | 5                   |
| 22 . . . . .          | 1,870  | 878.35                         | 1,599  | 777.72                         | 100.6               | 13                  |
| 23 . . . . .          | 1,618  | 601.26                         | 1,593  | 570.15                         | 31.1                | 5                   |
| 24 . . . . .          | 1,426  | 363.13                         | 1,321  | 341.34                         | 21.8                | 6                   |
| 25 . . . . .          | 920    | 220.52                         | 997    | 227.63                         | -7.1                | -3                  |
| 26 . . . . .          | 674    | 141.15                         | 734    | 146.36                         | -5.2                | -4                  |
| 27 . . . . .          | 498    | 91.85                          | 615    | 104.06                         | -12.2               | -12                 |
| 28-31 . . . . .       | 1,525  | 42.25                          | 1,678  | 35.72                          | 6.5                 | 18                  |
| 28 . . . . .          | 402    | 62.82                          | 416    | 54.77                          | 8.1                 | 15                  |
| 29 . . . . .          | 339    | 46.86                          | 404    | 42.20                          | 4.7                 | 11                  |
| 30 . . . . .          | 391    | 39.39                          | 416    | 31.98                          | 7.4                 | 23                  |
| 31 . . . . .          | 393    | 31.35                          | 442    | 26.32                          | 5.0                 | 19                  |
| 32-33 . . . . .       | 952    | 20.79                          | 931    | 16.04                          | 4.8                 | 30                  |
| 32 . . . . .          | 437    | 23.19                          | 410    | 17.58                          | 5.6                 | 32                  |
| 33 . . . . .          | 515    | 19.12                          | 521    | 15.01                          | 4.1                 | 27                  |
| 34-36 . . . . .       | 2,290  | 8.54                           | 2,268  | 7.23                           | 1.3                 | 18                  |
| 34 . . . . .          | 654    | 13.49                          | 649    | 10.96                          | 2.5                 | 23                  |
| 35 . . . . .          | 677    | 9.13                           | 714    | 7.77                           | 1.4                 | 18                  |
| 36 . . . . .          | 959    | 6.58                           | 905    | 5.56                           | 1.0                 | 18                  |
| 37-38 . . . . .       | 3,078  | 3.16                           | 2,934  | 3.01                           | 0.1                 | 5                   |
| 37 . . . . .          | 1,407  | 4.24                           | 1,322  | 3.92                           | 0.3                 | 8                   |
| 38 . . . . .          | 1,671  | 2.60                           | 1,612  | 2.53                           | 0.1                 | 3                   |
| 39-40 . . . . .       | 3,990  | 1.73                           | 3,617  | 1.85                           | -0.1                | -6                  |
| 39 . . . . .          | 2,721  | 1.85                           | 2,267  | 1.91                           | -0.1                | -3                  |
| 40 . . . . .          | 1,269  | 1.51                           | 1,350  | 1.75                           | -0.2                | -14                 |
| 41 . . . . .          | 376    | 1.52                           | 601    | 1.80                           | -0.3                | -16                 |
| 42 and over . . . . . | 53     | 3.29                           | 514    | 2.39                           | 0.9                 | 38                  |
| 42 . . . . .          | 43     | 2.90                           | 216    | 2.06                           | 0.8                 | 41                  |
| 43 . . . . .          | 5      | *                              | 135    | 2.52                           | *                   | *                   |
| 44 . . . . .          | 3      | *                              | 69     | 2.42                           | *                   | *                   |
| 45 . . . . .          | 1      | *                              | 43     | 2.89                           | *                   | *                   |
| 46 . . . . .          | 1      | *                              | 34     | 4.14                           | *                   | *                   |
| 47 . . . . .          | -      | *                              | 17     | *                              | *                   | *                   |
| Unknown . . . . .     | 275    | ...                            | 227    | ...                            | ...                 | ...                 |

0.0 or 0 Quantity more than 0 but less than 0.05.

\* Figure does not meet standards of reliability or precision.

- Quantity zero.

... Category not applicable.

NOTES: OE is the obstetric estimate of the newborn; LMP refers to the date of the mother's last normal menses.

**U.S. DEPARTMENT OF  
HEALTH & HUMAN SERVICES**

Centers for Disease Control and Prevention  
National Center for Health Statistics  
3311 Toledo Road, Room 5419  
Hyattsville, MD 20782-2064

FIRST CLASS MAIL  
POSTAGE & FEES PAID  
CDC/NCHS  
PERMIT NO. G-284

OFFICIAL BUSINESS  
PENALTY FOR PRIVATE USE, \$300

For more NCHS NVSRs, visit:  
<http://www.cdc.gov/nchs/products/nvsr.htm>.



---

National Vital Statistics Reports, Vol. 64 No. 5 June 1, 2015

---

**Contents**

Abstract . . . . . 2  
Introduction . . . . . 2  
Methods . . . . . 2  
Results . . . . . 3  
    Percent agreement—the OE compared with the LMP-based measure  
    of gestational age . . . . . 3  
    Mean gestational age—the OE compared with the LMP-based  
    measure of gestational age . . . . . 3  
    Percent distributions—the OE compared with the LMP-based  
    gestational age . . . . . 3  
    Trends in births by gestational age categories—the OE compared  
    with the LMP-based measure of gestational age . . . . . 4  
    Race and Hispanic origin—the OE compared with the LMP-based  
    measure of gestational age . . . . . 4  
    State preterm birth rates—the OE compared with the LMP-based  
    measure of gestational age . . . . . 6  
    Infant mortality rates—the OE compared with the LMP-based  
    measure of gestational age . . . . . 7  
Discussion . . . . . 7  
    Similarities and differences between the two gestational age measures . . . . . 7  
    Assessing and improving data quality . . . . . 8  
References . . . . . 9  
List of Detailed Tables . . . . . 10

**Acknowledgments**

The authors gratefully acknowledge the contributions of Brady E. Hamilton and Marian F. MacDorman to this report.

---

**Suggested citation**

Martin JA, Osterman MJK, Kirmeyer SE, Gregory ECW. Measuring gestational age in vital statistics data: Transitioning to the obstetric estimate. National vital statistics reports; vol 64 no 5. Hyattsville, MD: National Center for Health Statistics. 2015.

---

**Copyright information**

All material appearing in this report is in the public domain and may be reproduced or copied without permission; citation as to source, however, is appreciated.

---

**National Center for Health Statistics**

Charles J. Rothwell, M.S., M.B.A., *Director*  
Nathaniel Schenker, Ph.D., *Deputy Director*  
Jennifer H. Madans, Ph.D., *Associate Director  
for Science*

**Division of Vital Statistics**

Delton Atkinson, M.P.H., M.P.H., P.M.P.,  
*Director*

---

For e-mail updates on NCHS publication releases, subscribe online at: <http://www.cdc.gov/nchs/govdelivery.htm>.  
For questions or general information about NCHS: Tel: 1-800-CDC-INFO (1-800-232-4636) • TTY: 1-888-232-6348  
Internet: <http://www.cdc.gov/nchs> • Online request form: <http://www.cdc.gov/info>

DHHS Publication No. 2015-1120 • CS256506