

**Understanding your  
Community Health Status Reports –  
The Overview and The Details**

**July 2018**

Prepared by:  
Jennifer Rienks PhD  
Linda L Remy PhD  
Adrienne Shatara MPH  
Ted Clay MS

Family Health Outcomes Project  
Family and Community Medicine  
University of California, San Francisco  
500 Parnassus Ave. Room MUE-336  
San Francisco CA 94143-0900  
Phone: 415-476-5283  
Fax: 415- 476-6051  
Email: FHOP@ucsf.edu

The **Community Health Status Report Overview** (CHSR - Overview) and **Community Health Status Report Details** (CHSR - Details) are designed to help local Maternal Child and Adolescent Health (MCAH) jurisdictions by summarizing for your review data for a variety of health status indicators. These data should be used for completing your local Title V Needs Assessment. Local jurisdictions are also encouraged to use additional local data as available to help you understand the particular needs and status of your local MCAH population.

FHOP prepared data for the CHSRs with input from State MCAH, and the local MCAH jurisdictions, and conducted the analyses summarized in the CHSR Details. There are a number of reasons why FHOP prepared the statistics in the CHSR Details for the local and state indicators. The first is to assure uniformity in the definitions of the numerator and denominator for each indicator in the CHSR Details. The second is to assure uniformity in the way indicators are calculated. This generates uniform statistics that allow counties to compare themselves to each other and the state. It also is intended to minimize the resources local jurisdictions need to allocate to generate local statistics, and provide local analysts with the opportunity to concentrate more effort on in-depth analyses of problems identified by the indicator statistics.

You will notice that the indicator values that come from the CHSR Details and that are also in the CHSR Overview are three year aggregate rates for the earliest and most recent periods for which data are available. Three-year aggregate rates allow for more uniform assessment of both small and large jurisdictions and result in narrower confidence intervals with a greater accuracy in assessing differences when comparing rates.

## 1. Accessing and Downloading your Community Health Status Reports – Overview and Details

Your jurisdiction's CHSRs are available in the password-protected section of the Family Health Outcomes Project (FHOP) website accessible through the following link:

<https://fhop.ucsf.edu/california-county-mcah-data>

1. Click this link to get to the California County MCAH Data

California County MCAH Data

Print PDF

**Databooks and CHSR Overview & Details**

2. Then click this link

**Databooks** – Are excel spreadsheet files that include rates and trends for key MCAH indicators. Data are given at the county and region level and include comparisons to statewide rates.

Databooks have multiple pages of data and information, including County/Regional numbers, State numbers, definitions, data quality, rates, and graphs, for different racial/ethnic groups and across several years. We strongly encourage you to consult the materials from the County Data Spreadsheets webinar training before using the databooks as well as the publication: [Title V 5-Year Needs Assessment Indicators: DATABOOK 2004 to 2015](#). Please read [these documents](#) that pertain to important changes in methods for calculating some indicators derived from the birth certificate. Contact FHOP with any questions.

**Community Health Status Report (CHSR) Overview** – Is a spreadsheet with all of the data indicators you see listed on your county databooks page, and includes overall LHJ rates, state rates, confidence intervals when available, comparisons to the state rate when available, and the time period covered. The CHSR Overview is produced every 5 years for the Title V needs assessment.

**Community Health Status Report (CHSR) Details** – Is a spreadsheet that includes a subset of the data indicators that you see listed on your county databooks page that FHOP analyzes and produces the Databooks for. The CHSR Details includes more in-depth comparisons of your current LHJ rates with your past rates, with the state's current rates, with Healthy People (HP) 2020 goals when available, and a summary of trends when available that include the period in years, the rate, and confidence intervals. In the CHSR Overview you'll see a basic comparison between your county and the State and in the CHSR Details you will see a trend compared to the State's trends. Every time you see: CHSR only, please link back to the CHSR Overview or CHSR Details.

Please review the document: [Understanding your Community Health Status Reports - The Overview & The Details](#), for a better understanding of your CHSR.

Links of Interest

- 2014-2015 Title V CCS Needs Assessment
- AFA Package 2018-2019
- Needs Assessment Resources
- MCAH TA Webinars
- CA County MCAH Data
- MCAH Marketplace
- Intervention Planning Resources and Tools
- Program Evaluation and Performance Monitoring Resources
- FHOP Site Map

**FHOP NEWSLETTER SIGN-UP**

**MCAH Topical Fact Sheets**

- MCAH Action Title V
- Perinatal Mood & Anxiety Disorders
- Teen Pregnancy in California
- Preconception Health

## California County Data Spreadsheets

Print PDF

### California County Data Spreadsheets

Alameda	Kern	Orange	Santa Cruz
Berkeley	Kings	Pasadena	Shasta
Alpine	Lake	Placer	Sierra
Amador	Lassen	Plumas	Siskiyou
Butte	Long Beach	Riverside	Solano
Calaveras	Los Angeles	Sacramento	Sonoma
Coastal Health	Madera	San Benito	Stanislaus
Colusa	Marin	San Bernardino	Sutter
Contra Costa	Mariposa	San Diego	Tehama
Del Norte	Mendocino	San Francisco	Trinity
El Dorado	Merced	San Joaquin	Tulare
Fresno	Modoc	San Luis Obispo	Tuolumne
Glenn	Mono	San Mateo	Ventura
Humboldt	Monterey	Santa Barbara	Yolo
Imperial	Napa	Santa Clara	Yuba
Inyo	Nevada		

Home » California »

#### Links of Interest

- 2014-2016 Title V CCS Needs Assessment
- AFA Package 2018-2019
- Needs Assessment Resources
- MCAH TA Webinars
- CA County MCAH Data
- MCAH Marketplace
- Intervention Planning Resources
- Program Evaluation and Performance Resources
- FHOP Site Map

**FHOP NEWSLETTER**

**MCAH Topical Fact Sheets**

- MCAH Action Title 10
- Perinatal Mood & Anxiety Disorders
- Teen Pregnancy Prevention
- Preconception Health
- Breastfeeding in California

3. Click on your county or jurisdiction

and you will be taken to this page:

## County Databooks

Print PDF

### County

**Community Health Status Report (CHSR) Overview** - Includes all indicators listed below, updated every five years: [CHSR Overview](#)

**Community Health Status Report (CHSR) Details** - Subset of the indicators below, FHOP analyzes, updated every year: [CHSR2017](#)

**Databooks labeled "PROVISIONAL":** Because of the CDC's revision of the classification of Diseases, Ninth Revision, Clinical Modification) to ICD-10-CM for certain years starting in 2015. So all Databooks labeled "Provisional" only have 9 months of data for the year.

OR

5. Click on the CHSR Details to open it

NUMBER DOMAIN & INDICATOR:

#### Maternal/ Women's Health Indicators

- 1-A Medi-Cal insured deliveries per 100 live births: [MCAL](#)
  - 1-B Uninsured pre-pregnancy per 100 females delivering a live birth: [CHSR Overview only](#)
  - 1-C Prenatal care in the first trimester per 100 females delivering a live birth: [APNC](#)
- Also in this databook:
- Prenatal care beginning in the last trimester or never per 100 females delivering a live birth
  - Inadequate prenatal care per 100 females delivering a live birth
  - Adequate prenatal care (80% Kotelchuck index) per 100 females delivering a live birth
- 1-D Pre-pregnancy overweight or obesity per 100 females delivering a live birth [CHSR Overview only](#)

4. Click on the CHSR Overview to open it

3. Enter your password. If you do not have your password, email FHOP at [fhop@ucsf.edu](mailto:fhop@ucsf.edu) to request it.
4. Save your CHSR overview on your computer. By default, we have saved these files as 1997-2003 excel files as some counties do not have a more recent version of excel.


## 2. Community Health Status Report Overview

The **CHSR Overview** provides a snapshot with the most recent data available for a variety of MCAH indicators that were selected to reflect the Maternal Child Adolescent Health Program scope of work goals. Additional data on demographics and the social and environmental determinants of health are also included to provide a context for understanding the health of your MCAH population. The CHSR Overview is organized into the following sections

1. Maternal and Women Health Indicators
2. Infant Health Indicators
3. Child/Adolescent Health Indicators
4. Population Demographics
5. Socio-Economic and Environmental Health Determinants
6. Children and Youth with Special Health Care Needs (CYSHCN)

Data from the CHSR Overview come from a variety of sources and include data from birth certificates and death certificates, hospital discharge records, surveillance data, census data, survey data, and program data. The source of the data, type of data and availability over time, as well as other logistical and budget constraints, influence the extent to which the data in the CHSR Overview has been statistically analyzed and the slight variations in the layout of the form.

### 2.1. What does your CHSR Overview Tell You?

<p><b>Domain and Indicator</b></p>  <p>The screenshot shows a list of indicators under the domain '1. Maternal/ Women's Health Indicators'. The indicators are: 1 A Medi-Cal insured deliveries per 100 live births, 1 B Uninsured pre-pregnancy per 100 females delivering a live bir, 1 C Prenatal care in the first trimester per 100 females delivering birth, 1 D Pre-pregnancy overweight or obesity per 100 females deliver live birth, and 1 E Mis-timed or unwanted pregnancy per 100 females delivering birth.</p>	<p>Domains are broad topic areas such as access to and utilization of care that reflect MCAH goals, and the indicators are specific data measures within domains.</p>
<p><b>Time Period</b></p>	<p>What year(s) the data is from. For the indicators that FHOP has analyzed, rates reported are based on 3-year averages. Three-year averages allow for more uniform assessment of both small and large jurisdictions and result in narrower confidence intervals with a greater accuracy in assessing differences when comparing rates.</p>

Period	Rate
2013-2015	90.5
2013-2015	18.9
2013-2015	13.4
2013-2015	23.6

**Local Rate and 95% Confidence Interval**

	Local		
	Rate	95% Conf. Int	
		Lower	Upper
5	62.0	58.8	65.0
5	20.6+	17.8	23.4
5	71.1	68.1	73.9
	57.8	52.0	63.3
5	31.8+	28.4	35.1

The local rate for the specified time period, along with the lower and upper bounds of the 95% confidence interval when available. The confidence interval is the range in which we are 95% certain the true rate falls. Cautions should be used in interpreting rates with very large confidence intervals.

For some indicators, due to county level rates being unstable for many counties, regional data are reported instead of county level data. The + symbols appears next to rates that are regional rates. If you see no data for a given indicator, it is either unavailable due to a low number of events in that county, or because the county did not have sufficient participation in a survey, such as the California Healthy Kids Survey, to generate reliable county rates.














**State Rate and 95% Confidence Interval**

	State		
	Rate	95% Conf. Int	
		Lower	Upper
	44.3	44.3	44.4
	21.6	20.5	22.7
	83.3	83.3	83.4
	50.0	49.8	50.1
	30.5	29.3	31.8
	19.9	19.7	20.1

The same as above but for the state as a whole

**Local compared to State**

For some indicators, analyses have been done comparing the

<p>Local compared to State</p>	<p>local rate to the state rate. Color coded arrows indicate if the local is doing better or worse than the state and if the local rates are higher or lower.</p>
	<ul style="list-style-type: none"> <li>•   <b>Blue circled arrows</b> are used when a decreasing or increasing rate is moving in the desired direction.</li> </ul>
	<ul style="list-style-type: none"> <li>•   <b>Red hollow arrows</b> are used when a decreasing or increasing rate is moving away from the desired direction.</li> </ul>
	<ul style="list-style-type: none"> <li>•   <b>Black hollow arrows</b> are used when a decreasing or increasing rate has no common understanding. (See <b>*Note</b>)</li> </ul>
	<ul style="list-style-type: none"> <li>•   <b>Black hollow arrow pointing in both directions</b> is used to signify that there is no statistically significant difference in the rate between the local and state.</li> </ul>
	<ul style="list-style-type: none"> <li>• NA = indicates that the comparison is not available</li> </ul>

### 3. Indicators not analyzed by FHOP

Data for indicators identified at the bottom of this section came from resources outside of FHOP. Layouts and data elements varied enormously from indicator to indicator. FHOP retrieved the source files from the internet or in some cases directly from the organizations that prepare them.

- 1 B Pre-pregnancy Health Insurance per 100 females delivering a live birth
- 1 D Pre-pregnancy overweight or obesity per 100 females delivering a live birth
- 1 E Mistimed or unwanted pregnancy per 100 females delivering a live birth
- 1 G Any smoking during the 1st or 3rd trimester per 100 females with live births
- 1 K Prenatal depressive symptoms per 100 females delivering a live birth
- 1 L Postpartum depressive symptoms
- 1 M Had a routine checkup with doctor in the last year per 100 females age 18-44
- 1 N Ever been diagnosed with heart disease per 100 females age 18 and older
- 1 S Current smoker per 100 females 18 and older
- 1 T Binge drinking in the last year per 100 females age 18 and older
- 1 U Total Early Syphilis\*, Cases and Incidence Rates for Females, per 100,000
- 2 D Tdap immunizations during pregnancy per 100 females delivering a live birth
- 2 E Exclusive Breastfeeding 3 months after delivery per 100 live births
- 2 F Exclusive in-hospital breastfeeding per 100 females delivering a live birth
- 3 B Percentage of overweight and obese public school students in grade 7
- 3 C Estimated percentage of children ages 0-17 who have experienced two or more adverse experiences as of their current age
- 3 D Percentage of children and teens who walked/biked/skated to school in last week
- 3 E Percentage of public school students in grade 9 who experienced depression-related feelings

- 3 F Percentage of public school children in grade 9 who perceive that their school is very safe
- 3 G Percent of public school students in grade 11 who report NO binge drinking in the last month
- 3 H Percent of public school students in grade 11 who report NO E-cigarette use in the last month
- 3 I Percent of public school students in grade 11 who report NO marijuana usage in the past month
- 3 N Gonorrhea rate per 100,000 female population age 15 to 19
- 3 O Chlamydia rate per 100,000 female population age 15 to 19
- 4 A Total Population
- 4 B Total Population African American
- 4 C Total Population American Indian/ Alaska Native
- 4 D Total Population Asian/ Pacific Islander
- 4 E Total Population Hispanic
- 4 F Total Population White
- 5 C Single mothers living in poverty per 100 single mothers
- 5 E High school dropout per 100 students in grades 9-12
- 5 F Felony arrests per 1,000 children age ages 0-17 years
- 5 G Children receiving free or reduced price meals at school per 100 students
- 5 I Percentage of adults with 4 or more ACEs
- 5 J Food insecurity during pregnancy per 100 females delivering a live birth
- 5 K Quartile ranking for income inequality ratio (Ranking of ratio of household income at the 80<sup>th</sup> percentile to income at the 20th percentile)
- 5 L Percentage of households with severe housing problems
- 5 M Number of days with ozone above regulatory standards
- 6 A Percentage of public school children enrolled in special education with an autism diagnosis
- 6 B Percentage of public school children enrolled in special education
- 6 C Number of CSHCN enrolled in CCS
- 6 D Percentage CCS CSHCN receiving transition services (ages 13-17)
- 6 E % of children 0-18 with one or more major disabilities

Indicators 1 B, 1 D, 1 E, 1 G, 1 K, 1 L, 2 D, 2 E, and 5 J are from the Maternal Infant Health Assessment and these data have been analyzed by the state MCAH Epidemiology Section to compare local or county regions to the state.

### **3.1 Using Confidence Intervals to determine if your local rates differ significantly from state rates**

Most evaluations of progress are based on evaluating confidence intervals. For indicators that have rates where the 95% confidence interval was calculated, *there is a statistically significant difference between two rates if the confidence intervals for both rates do not overlap. If confidence intervals overlap, rates are likely not significantly different from each other.* A jurisdiction may have a rate of 15 and the state a rate of and 25, which may seem

like the jurisdiction is doing better. However, if confidence intervals overlap, the rates are usually not significantly different. To do this analysis, we urge attention to confidence intervals rather than rates.

## 4. Community Health Status Report Details

The **CHSR Details** contains two worksheets, or tabs: County and State. The County tab name identifies your jurisdiction. If the County tab has the name of another jurisdiction, please notify FHOP immediately, as there will have been an error in posting the data to the website.

The CHRS Details allows jurisdictions to more easily review changes in indicator values over time, compare local and state values, assess trends in local and state values, and measure progress toward meeting the Healthy People (HP) 2020 objective.

### 4.1 What does your CHSR Details Tell You?

Local Period End			
Period	Rate	95% Conf. Int	
		Lower	Upper
2013-2015	90.3	90.0	90.5
2013-2015	18.9	17.8	20.1
2013-2015	13.4	13.1	13.7
2013-2015	23.6	23.1	24.0

#### Local Period Start and Local Period End

The two major column sets, Local Period Start and Local Period End, each contain the same types of information. For the 28 required indicators, cells in these columns have been filled in for you, so you do not have to do any of the calculations. You will only need to calculate rates and confidence intervals for the optional indicators you choose to add.

- **Period** refers to the 3-year interval for which a given statistic is calculated.
- **Rate** refers to the value obtained after dividing the numerator by the denominator and multiplying by the appropriate scale (100; 1,000; 10,000, etc).
- **Lower** refers to the lower 95% confidence limit (LCL) for the reported rate. These are not the same statistic as the 3-year standard error values from the relevant Databook table.
- **Upper** refers to the upper 95% confidence limit (UCL) for the reported rate. These are not the same as the standard error values from the relevant Databook table.

After evaluation, a jurisdiction may seem to have a problem with a certain indicator. In deciding whether a **problem is important enough to develop a program, it is important to understand prevalence. Be sure the number of events supports developing a program.** To make that assessment, it will be necessary to unhide columns containing the numerator and denominator.

Indicator	Local Period End	Compare State					
# Description	HP 2010 Objective	Period	Rate	Conf. Int		Local Period Start	State Period
				Lower	Upper		
1 Fertility per 1,000 Females Age 15 to 44	N/A	2004-2006	66.4	66.0	66.7		










**HINT:** FHOP hid columns E, F, K, and L to facilitate viewing. These columns contain numerators and denominators for each three-year period. To unhide these, select the columns headed period and rate. Then click on *Format, Column, Unhide* as shown in the picture on the left.



After work is completed, we recommend rehidng these columns.

- **Numer(ator)** refers to the *total number of events* in the reference period. This column is filled in for all indicators. Note that small numbers are reported. (*Hidden column*)
- **Denom(inator)** refers to the *total number of people* in the population in the reference period. (*Hidden column*)

### Local Period End Compared To










Compare Local End Status to		
Local Period Start	State Period End	HP 2020 Objective
		
		
		

This set of columns is intended to evaluate how the jurisdiction is doing, comparing its local end rate to its period start rate, to the State period end rate, and to the HP 2020 objective.



**Local Period Start.** This comparison summarizes how your jurisdiction’s Local Period End compared to the Local Period Start.


**State Period End.** This comparison summarizes how your jurisdiction’s Local Period End compared to the State Period End on the State tab.

Symbols used:

-   **Blue circled arrows** are used when a decreasing or increasing rate is moving in the desired direction.
-   **Red hollow arrows** are used when a decreasing or increasing rate is moving away from the desired direction.
-   **Black hollow arrows** are used when a decreasing or increasing rate has no common understanding. (See **\*Note**)
-  **Black hollow arrow pointing in both directions** is used to signify that there is no statistically significant difference in the rate between the local and state.
- If you had no events in your Local Period End, select the 0 events indicator .
-  **Circled Blue Star - Objective Met.** HP2020 objective is met. Hooray!

### Local Trend Line, Non-Linear Explain

If the indicator trend is improving when it goes down (e.g., low birthweight), you will see the blue downward circle . If the indicator trend is worsening when it goes down (e.g., children with health insurance), you will see the red downward arrow .

If there is a non-linear trend, for example the rate decreased significantly for a while but then was essential flat, you will see the non-linear trend symbol . You can find out more about the trend by examining your corresponding MCAH Indicator Spreadsheet.

## Comment Explain

From 2004-2010, the rate decreased significantly (-1.85, P-value = 0.000) and was essentially flat thereafter (-0.11, P-value 0.870)

You can use the "Comment-Explain." Box to write in a description of your non-linear trend. You can add more detail in the written report if you think it is needed. Examples of what might be discussed

further in the written report are whether certain race/ethnic groups have higher or lower rates such that they affect your total rate, an analysis of whether sufficient numbers are available to develop an intervention, etc. Text will wrap in this cell. If you want to make the column wider, feel free to do so.

If the trend was linear and non-significant, you will see the non-significant symbol ⇄

If your jurisdiction had too few events to calculate a trend line, you will see this box symbol □

**\*Note:** Some indicators have no commonly understood definition of progress. Examples include fertility, hospital admissions with mental health diagnoses, and domestic violence. Some people think rising fertility is desirable while others believe rising fertility is undesirable. Some people think a high rate of mental health hospital admissions means people are getting appropriate care for an acute psychiatric episode. Others interpret a high rate to mean that the community has inadequate local outpatient care to prevent admissions. A low rate could mean that people are getting adequate care in community programs, that they are allowed to roam the streets without care, or that they are incarcerated for loitering and are not eligible for hospitalization. Similarly, we are not sure whether a high domestic violence rate reflects good outreach at the local level or whether rates truly are high or low. For these indicators, **black hollow arrows** are used when a decreasing or increasing rate or trend has no common understanding. ↑ ↓

## 5. Support

If you have further questions about the use of this Workbook, please contact Jennifer Rienks or Adrienne Shatara at FHOP:

[fhop@ucsf.edu](mailto:fhop@ucsf.edu)

415-476-5283

## 7. Table of Indicators Data Sources

	Domain and Indicator	Data Source
	<b>Maternal/ Women's Health Indicators</b>	
1 A	Medi-Cal insured deliveries per 100 live births	California Center for Health Statistics, Vital Statistics, Birth Statistical Master File.
1 B	Pre-pregnancy Health Insurance per 100 females delivering a live birth	MIHA (Maternal Infant Health Assessment Survey).
1 C	Prenatal care in the first trimester per 100 females delivering a live birth	California Center for Health Statistics, Vital Statistics, Birth Statistical Master File.

1 D	Pre-pregnancy overweight or obesity per 100 females delivering a live birth	Birth statistical master file
1 E	Mistimed or unwanted pregnancy per 100 females delivering a live birth	MIHA (Maternal Infant Health Assessment Survey).
1 F	Substance use diagnoses per 1,000 hospitalizations of pregnant females age 15 to 44	Office of Statewide Health Planning and Development (OSHPD). Hospital discharge data.
1 G	Any smoking during the 1st or 3rd trimester per 100 females with live births	MIHA (Maternal Infant Health Assessment Survey).
1 H	Gestational diabetes per 1,000 females age 15 to 44 delivering a live or still-born infant in-hospital	Office of Statewide Health Planning and Development (OSHPD). Hospital discharge data.
1 I	Births conceived within 18 months of a previous live birth per 100 females age 15 to 44 delivering a live birth	California Center for Health Statistics, Vital Statistics, Birth Statistical Master File.
1 J	Cesarean births per 100 low risk females delivering a live birth	California Center for Health Statistics, Vital Statistics, Birth Statistical Master File.
1 K	Prenatal depressive symptoms per 100 females delivering a live birth	MIHA
1 L	Postpartum depressive symptoms	MIHA
1 M	Had a routine checkup with doctor in the last year per 100 females age 18-44	CHIS (California Health Interview Survey).
1 N	Ever been diagnosed with heart disease per 100 females age 18 and older	CHIS (California Health Interview Survey).
1 O	Uninsured per 100 female population age 18-64	Small Area Health Insurance Estimates (SAHIE).
1 P	Mood disorder hospitalizations per 100,000 female population age 15 to 44	Office of Statewide Health Planning and Development (OSHPD). Hospital discharge data.
1 Q	Assault hospitalizations per 100,000 females age 15 to 44	Office of Statewide Health Planning and Development (OSHPD). Hospital discharge data.
1 R	Domestic violence calls per 100,000 population	California State Department of Justice. Office of the Attorney General. Domestic Violence-Related Calls for Assistance.
1 S	Current smoker per 100 females 18 and older	CHIS (California Health Interview Survey)
1 T	Binge drinking in the last year per 100 females age 18 and older	CHIS (California Health Interview Survey)
1 U	Total Early Syphilis*, Cases and Incidence Rates for Females, per 100,000	State CDPH STD data
<b>Infant Health</b>		
2 A	Births less than 37 weeks gestation per 100 live births	California Center for Health Statistics, Vital Statistics, Birth Statistical Master File.
2 B	Births weighing less than 2,500 grams per 100 live births	California Center for Health Statistics, Vital Statistics, Birth Statistical Master File.

2 C	Births weighing less than 1,500 grams per 100 live births	California Center for Health Statistics, Vital Statistics, Births Statistical Master File.
2 D	Tdap immunizations during pregnancy per 100 females delivering a live birth	2013-2015 MIHA
2 E	Exclusive Breastfeeding 3 months after delivery per 100 live births	2013-2015 MIHA
2 F	Exclusive in-hospital breastfeeding per 100 females delivering a live birth	California Department of Public Health, Center for Family Health, Genetic Disease Screening Program, Newborn Screening Data, 2012
2 G	Deaths at age less than 1 year per 1,000 live births	California Office of Health Information and Research, Death Statistical Master File
<b>Child and Adolescent Health</b>		
3 A	Uninsured per 100 population age 0 to 18	Small Area Health Insurance Estimates (SAHIE).
3 B	Percentage of overweight and obese public school students in grade 7	California Department of Education, Physical Fitness Testing Research Files via kidsdata.org
3 C	Estimated percentage of children ages 0-17 who have experienced two or more adverse experiences as of their current age	Child and Adolescent Health Measurement Initiative, Data Resource Center for Child and Adolescent Health, using synthetic estimation from the 2011/12 National Survey of Children's Health and 2008-2012 American Community Survey (Jun. 2016).
3 D	Percentage of children and teens who walked/biked/skated to school in last week	California Health Interview Survey
3 E	Percentage of public school students in grade 9 who experienced depression-related feelings	California Healthy Kids Survey via Kidsdata.org
3 F	Percentage of public school children in grade 9 who perceive that their school is very safe	California Healthy Kids Survey via Kidsdata.org
3 G	Percent of public school students in grade 11 who report NO binge drinking in the last month	California Healthy Kids Survey via Kidsdata.org
3 H	Percent of public school students in grade 11 who report NO E-cigarette use in the last month	California Healthy Kids Survey via Kidsdata.org
3 I	Percent of public school students in grade 11 who report NO marijuana usage in the past month	California Healthy Kids Survey via Kidsdata.org
3 J	Substance abuse hospitalizations per 100,000 population age 15 to 24	Office of Statewide Health Planning and Development (OSHPD). Hospital discharge data.
3 K	Mental health hospitalizations per 100,000 population age 15 to 24	Office of Statewide Health Planning and Development (OSHPD). Hospital discharge data.
3 L	Births per 1,000 females age 15 to 19	California Center for Health Statistics, Vital Statistics, Birth Statistical Master File.
3 M	Births within 18 months of a previous birth per 100 females age less than 20 delivering a live birth	California Center for Health Statistics, Vital Statistics, Birth Statistical Master File.

3 N	Gonorrhea rate per 100,000 female population age 15 to 19	CDPH STD Branch
3 O	Chlamydia rate per 100,000 female population age 15 to 19	California Department of Public Health, STD Control Branch (data reported through 08/19/2013)
3 P	Motor vehicle injury hospitalizations per 100,000 population age 0 to 14	Office of Statewide Health Planning and Development (OSHPD). Hospital discharge data.
3 Q	Deaths per 100,000 population age 1 to 4 years	California Office of Health Information and Research, Death Statistical Master File.
3 R	Deaths per 100,000 population age 5 to 14 years	California Office of Health Information and Research, Death Statistical Master File.
3 S	Deaths per 100,000 population age 15 to 19	California Office of Health Information and Research, Death Statistical Master File.
3 T	Deaths per 100,000 population age 20 to 24	California Office of Health Information and Research, Death Statistical Master File.
	<b>Population</b>	
4 A	Total Population	California Department of Finance Population Estimates
4 B	Total Population African American	California Department of Finance Population Estimates
4 C	Total Population American Indian/ Alaska Native	California Department of Finance Population Estimates
4 D	Total Population Asian/ Pacific Islander	California Department of Finance Population Estimates
4 E	Total Population Hispanic	California Department of Finance Population Estimates
4 F	Total Population White	California Department of Finance Population Estimates
	<b>Social Determinant of Health</b>	
5 A	Poverty (0-200% FPL) per 100 population age 18 to 64	Small Area Health Insurance Estimates (SAHIE).
5 B	Poverty (0-200% FPL) per 100 population age 0 to 18	Small Area Health Insurance Estimates (SAHIE).
5 C	Single mothers living in poverty per 100 single mothers	2012 American Community Survey 1-Year Estimates.
5 D	Unemployment per 100 people in the employment market	State of California Employment Development Department.
5 E	High school dropout per 100 students in grades 9-12	Via kidsdata.org, California Dept. of Education, California Basic Educational Data System (CBEDS).
5 F	Felony arrests per 1,000 children age ages 0-17 years	Via kidsdata.org, California Dept. of Justice, Arrest Data
5 G	Children receiving free or reduced price meals at school per 100 students	Via kidsdata.org, California Dept. of Education, Free/Reduced Price Meals Program & CalWORKS Data Files,
5 H	Children in foster care per 1,000 children age 0 to 17	Child Welfare System point-in-time count of children and adolescents age 0 to 17 in foster care placement as of 01-July annually, by place of residence; Data from UC Berkeley
5 I	Percentage of adults with 4 or more ACEs	Center for Youth Wellness, Public Health Institute analysis of Behavioral Risk Factor Surveillance Survey data
5 J	Food insecurity during pregnancy per 100 females delivering a live birth	2013-2015 MIHA

5 K	Quartile ranking for income inequality ratio (Ranking of ratio of household income at the 80 <sup>th</sup> percentile to income at the 20 <sup>th</sup> percentile)	RWJ County Health Rankings (from American Community Survey data)
5 L	Percentage of households with severe housing problems	RWJ County Health Rankings (from Comprehensive Housing Affordability Strategy (CHAS) data)
5 M	Number of days with ozone above regulatory standards	As cited on kidsdata.org, Centers for Disease Control and Prevention, National Environmental Public Health Tracking Network
<b>CYSHCN</b>		
6 A	Percentage of public school children enrolled in special education with an autism diagnosis	Via KidsData.org, reporting data from California Dept. of Education
6 B	Percentage of public school children enrolled in special education	Via KidsData.org, reporting data from California Dept. of Education
6 C	Number of CSHCN enrolled in CCS	California Children's Services
6 D	Percentage CCS CSHCN receiving transition services (ages 13-17)	California Children's Services
6 E	% of children 0-18 with one or more major disabilities	Via KidsData.org, reporting American Community Survey data
6 F	Rate of emergency department visits for Asthma (ages 0-17)	Emergency Department Data